



GSA Federal Supply Service

GSA Global Supply
Your Reliable Government Source



Wildland Fire Equipment Catalog **2004**

GSA Proudly Supports Our Wildland Firefighters

GSA — A Partner In Wildfire Protection



This publication is a supplement to the GSA Global Supply Catalog and is issued as a convenience to federal, state and municipal agencies and other non-federal organizations operating under written cooperative agreements with the U.S. Forest Service. It is an annual publication produced by the Greater Southwest Region, Southwest Supply Center, Fort Worth, Texas.



The National Fire Equipment System (NFES) Subcommittee has approved the use of the items listed in this catalog. NFES is sanctioned as a standing subcommittee of the Fire Equipment Working Team (FEWT).



GSA maintains a firm commitment to supporting the Fire Suppression Program and is constantly striving to provide the highest quality supplies and equipment to its customers. We maintain a very close partnership with the wildland firefighting community and often assist with program changes and implementation. Our objectives remain firm, and they are to (a) facilitate advanced procurement, (b) assist in the standardization of wildland fire protection supplies and equipment (c) offer tremendous savings through consolidated purchasing and (d) provide fast and direct distribution of supplies as the situation dictates.



We are proud of this partnership and look forward to serving the fire community for many years to come. We value this partnership and thank our customers for their loyalty and continued trust.



A handwritten signature in cursive script that reads "Ray Balli".

Ray Balli
GSA Fire Program Coordinator



Cover Photos: Courtesy of the National Interagency Fire Center, Boise, Idaho
Additional photos of fires and firefighters in this publication are a courtesy of the National Interagency Fire Center in Boise, Idaho and the Bureau of Land Management.

For specific credits, see inside back cover.

TABLE OF CONTENTS



Introduction

About This Catalog	2
How to Submit Your Order	4
Reporting Discrepancies	7

Wildland Fire Equipment

Hand Tools	9
Sheaths	11
Handles and Handle Wedges	12
Hoses and Gaskets	12
Water-Handling Accessories	14
Pumps and Accessories	19
Files and Chainsaw Accessories	22
Batteries	24
Lanterns	25
First Aid	25
Personal Protection	27
Packs and Accessories	35
Canteens, Water Bags and Accessories	38
Food-Handling Equipment	40
Sleeping Bags and Accessories	42
Personal Grooming Aids	44
Liquid Storage	45
Pails	45
Rope and Cord	46
Packaging Material	47
Weather Gear	49
Backfiring Fusee	50
Aviation Equipment	50
Chain Assembly	50
Marking Material	50
Fire Forms	51

General Information

Federal Supply Schedules	52
Customer Service Director Program	54
National Fire Cache System	56
Requisitioning from DLA	58
Defense Logistics Agency (DLA) Items	60
Metric Conversion Overview	62

Indexes

NFES Index (NSN Cross-Reference)	63
Alphabetical Index	73
NSN Index	77

Order Forms *(located at the end of this catalog)*

Standard Form SF 344
GSA Form 3222
Wildland Fire Equipment Catalog Comment Card

ABOUT THIS CATALOG



This Wildland Fire Equipment Catalog is the basic supply publication for use by the U.S. Forest Service (USFS), Bureau of Land Management (BLM), Bureau of Indian Affairs (BIA), U.S. Fish & Wildlife Service (USF&WS), National Park Service (NPS), National Association of State Foresters (NASF), and other Forest Service-sponsored participants in the governmentwide wildland firefighting effort.

This catalog, issued annually, contains descriptions and ordering data for wildland fire protection equipment and supplies managed by GSA. Items are indexed alphabetically by name and numerically by National Stock Number (NSN) and National Fire Equipment System (NFES) number.

Your suggestions for improvements to this catalog are invited at any time. For your convenience, a comment form is included at the back of this catalog. Items will be deleted or added as needed, provided they meet the criteria established by GSA, USFS and BLM. Questions or comments should be directed to the GSA Fire Program Coordinator by telephone at (817) 978-8637 or via e-mail at ramon.balli@gsa.gov.

Additional copies of this catalog may be obtained from the Centralized Mailing List Service (CMLS). To receive this publication on a continuing basis, call (817) 334-5215, fax (817) 334-5561, or e-mail us at cmls@gsa.gov and request to be placed on the automatic mailing list. This catalog is updated and published annually and is distributed each spring.

Clearances

GSA has complied with all regulations governing the purchase of items available from Federal Prison Industries, Inc., Federal Supply Schedule contractors, NISH, National Industries for the Blind (NIB), and the Government Printing Office (GPO). Ordering offices are not required to obtain clearance on items available from these sources when ordering direct from GSA.

Freight Charges

The cost of normal motor carrier transportation to consignees located in the United States (except certain areas of Alaska) is included in the prices shown in this catalog. Premium transportation (such as air freight, emergency trip, or exclusive use of vehicle service) must be paid by the requisitioner, and appropriate transportation funds must be cited when placing the order.

Prices

Prices are on a freight on board (f.o.b.) destination basis for surface transportation to consignees in the United States. Special transportation payment policy is applied to Alaskan shipments, depending on ultimate destination. Any requirements for premium transportation must be paid for by the ordering activity.

Note: The prices in this publication are approximate. Exact prices may be obtained by researching the NSN through the GSA Global Supply Web site (www.GSAGlobalsupply.gsa.gov) or through GSA Advantage![®] at www.gsaAdvantage.gov.





Specification References

The specifications cited in catalog descriptions may undergo a series of revisions, indicated by successive suffix letters, to keep current with industry changes and agency needs. Because it is not feasible to show the latest revision on the catalog publication date, only the basic specification is referenced in this catalog. Although stock items are always procured under the latest edition of a specification in effect at the time of procurement, on-hand stock that was procured under a previous edition of a specification will be issued until the supply is depleted.

The National Stock Number

The National Stock Number (NSN) is used for requisitioning, new procurements, existing contracts, shipments, shipper's invoices, payments, cataloging, stock records, et cetera. Accordingly, the items in this catalog are identified by 13-digit National Stock Numbers. For further information on National Stock Numbers, consult the FEDSTRIP Operating Guide (Mail List code OFOG-0009), which is available from GSA's Centralized Mailing List Service (CMLS). Simply call (817) 334-5215, fax (817) 334-5561 or e-mail cmls@gsa.gov.



For the latest information and news about the Wildland Fire Program, visit our Web site at www.fss.gsa.gov/fire Wildland Fire Program

Units Of Issue Used In This Catalog

BE	Bail	LG	Length
BD.....	Bundle	OZ	Ounce
BK.....	Book	PD	Pad
BX.....	Box	PG	Package
CL	Coil	PR	Pair
DZ.....	Dozen	QT	Quart
EA	Each	RO	Roll
HD	Hundred	SL.....	Spool
KT	Kit	YD	Yard

Note: The name or nomenclature used in this publication may or may not be the Approved Item Name recorded in the Federal Catalog System. In many cases, a name more oriented to our customers is provided.

ICON KEY

The following is a list of icons used in this publication and the information each icon represents:

-  Key information to help buying decisions
-  Includes information on recycled content
-  The product is part of a specific standard pack
-  MSDS Material safety data sheet is available
-  Comprehensive Procurement Guideline Compliant; the EPA designates these items with required recycled content
-  Items with biodegradable packing materials as required by U.S. Navy's Plastics Removal in Marine Environment program
-  Contact us for more information

HOW TO SUBMIT YOUR ORDER



Emergency Requisitions

During extreme fire situations, it is imperative that we process your order in the most expeditious manner. The following emergency order procedures will assist both you the customer and GSA in the elimination of bottlenecks and ensure the smooth processing of your order.

Emergency fire orders should be submitted by telephone or fax (Standard Form 344 or GSA Form 3222) to the following offices:

Monday through Friday: 7:30 a.m. – 4:15 p.m. (CST)
GSA Customer Assistance Branch, Fort Worth, TX
Telephone: (800) 525-8027, option 3
Fax: (817) 978-2605

All other times (after hours, weekends, and holidays)
GSA Western Distribution Center, Stockton, CA
Telephone: (209) 946-6382
Fax: (209) 946-6076

Note: If there is no answer at Stockton after hours or on weekends or holidays, call Stockton's answering service at (209) 929-6959 and advise the operator that you have an emergency fire order to submit and need to contact depot personnel. Give the operator your name and telephone number. The answering service will contact depot personnel and relay your message. Depot personnel will then return your call and take care of the situation. During fire season, depot personnel are on standby to take care of any emergencies.

Reminder! When faxing an order to Stockton, please notify personnel that the order is on the way.

If trouble is experienced contacting the Stockton depot or its answering service, please call one of the following depot personnel, day or night.

Jim Gorman(209) 466-2451
Cell(209) 649-4621
Edward Ashley(209) 477-3384
Cell(209) 993-6796
Raul Jacques(209) 477-5505
Cell(209) 649-5199
Virginia Gorman(209) 466-2451

If trouble is experienced in contacting any of the above after-hours numbers, please call (888) 282-7862 and leave a message containing a telephone number where you can be reached. This number is answered 24 hours a day. The duty officer will contact a GSA/FSS employee who will return your call as soon as possible.

The above procedures should produce a prompt response to your emergency situation. If additional assistance is required, please contact Ray Balli, GSA Fire Program Coordinator:

Office(817) 978-8637
Home(817) 294-5390
Pager(888) 663-2108

Routine Requisitions

Routine fire orders should be sent to our Fort Worth office, which has management responsibility over the fire program. Mail or fax your order to:

GSA/FSS Southwest Supply Center Customer Assistance Branch

Attention: 7FLIS
819 Taylor St
Fort Worth, TX 76102
Telephone: (800) 525-8027, option 3
Fax: (817) 978-2605

Please remember: Inquiries about and status of fire item requisitions should also be directed to the office listed above.



Requisition Priority Codes

The originator of a requisition is required to enter a priority designator code on each requisition. This entry indicates the relative importance of the requisition. **Standard delivery days (SDD)** indicate the elapsed time from the date GSA receives requisitions for stock items, which are not back-ordered, to the date of delivery to destinations in the 48 continental states.

CODE 03

Will be used for disaster supplies or equipment required immediately for prolonging life in case of disaster, critical injury, fatal disease, or calamity.

7 Standard Delivery Days

CODE 08

The item required is one without which the activity concerned is unable to perform assigned operational mission or tasks, or such condition is imminent.

11 Standard Delivery Days

CODE 10

The item required is one for immediate use, the lack of which is impairing the operational capability of the activity.

29 Standard Delivery Days

CODE 15

Routine stock replenishment.

29 Standard Delivery Days

Note: For more detailed information, please refer to FEDSTRIP Operating Guide, FPMR 101-26.2 (Mail List Code OFOG-0009), which is available from GSA's Centralized Mailing List Service by calling (817) 334-5215, faxing (817) 334-5561, or e-mailing cmls@gsa.gov.

HOW TO SUBMIT YOUR ORDER

GSA Global Supply or GSA Advantage!®?

Many GSA fire customers are familiar with the GSA Advantage!® site for online ordering. Since publication of the 2003 Wildland Fire Catalog, GSA has created a new Web site that mirrors the “look and feel” of GSA Advantage!®. The new site, www.GSAglobalsupply.gsa.gov, does not display any products from GSA Schedule vendors. Every item on this site is a GSA Global Supply item; therefore, search results are generally shorter, easier to review, and simpler to use. To compare the two sites, please check the table below for key attributes.

When you order from GSA Global Supply, you are guaranteed compliance with all federal regulations, regardless of quantity ordered.



www.GSAglobalsupply.gsa.gov

GSA Global Supply
Your Reliable Government Resource

Comparison Table

Attributes	GSA Global Supply	GSA Advantage!®
URL	www.GSAglobalsupply.gsa.gov	www.gsaAdvantage.gov
Availability	24 hours a day, 7 days a week	24 hours a day, 7 days a week
Displays GSA Fire items	Yes	Yes
GSA SmartPay® accepted	Yes	Yes
AAC billing available	Yes	Yes—Only for GSA Global Supply items No—Schedule items*
Displays expanded GSA Global Supply inventory	Yes	Yes
Displays Schedule vendors' items	No	Yes
Allows phased deliveries	Yes	Yes
Accepts orders for non-GSA NSNs	Yes	Yes

* “GSA Global Supply items” refers to products managed and billed by GSA Global Supply. “Schedule items” refers to products offered by commercial vendors holding a GSA Schedule contract. These vendors generally bill the customer’s purchase card and cannot bill a customer via AAC.

Reminder for USDA Customers:

Changes to the USDA accounting system now require USDA customers to provide a Document Reference Number (DRN) with Activity Address Code (AAC) orders. Orders called into GSA or placed online at either the GSA Global Supply Web site or GSA Advantage® can accommodate a DRN; therefore, USDA customers wishing to arrange payment via their AAC have multiple ordering options available to them. Purchase card orders do not require a DRN and can be submitted through any of the ordering mechanisms noted above. This change does not affect U.S. Forest Service cooperators or Department of Interior organizations. **Reminder: The requirement to provide a DRN with FEDSTRIP orders is mandated by USDA, not GSA.**

Orders with DRNs:

USDA customers can use the GSA Global Supply Web site or GSA Advantage® to compile an order. When your order is complete, click on "checkout." At step one of the checkout process, select "Activity Address Code" and enter the relevant AAC. After verifying shipping information in step two, you can enter appropriation data in step three. At this point, you can enter the appropriate DRN data and then proceed to finish the checkout process.



REPORTING DISCREPANCIES

Problems with your GSA order?

Put your mind at ease! GSA is committed to providing quality products and service. In the event that you experience trouble with your order or have a concern over the quality of a product, there are several ways to report the problem.

- Internet** Report discrepancies at www.GSAGlobalsupply.gsa.gov or www.gsaAdvantage.gov.
- E-mail** You may report discrepancies and other problems to the National Customer Service Center (NCSC) by e-mailing rodsm.ncsc@gsa.gov.
- Telephone** All problems with orders or questions about FSS supplies or services may be directed to the NCSC. Representatives are available between 7 a.m. and 6:30 p.m. (central time), Monday through Friday. After-hours calls will be recorded and answered the next business day. When leaving a message, make sure to include your name, commercial telephone number, and a brief description of the problem. Call (800) 488-3111.
- Mail** Report of problems may be mailed to the following address:
U.S. General Services Administration
National Customer Service Center (6FR)
1500 E Bannister Rd., Bldg. 4
Kansas City, MO 64131-3088

HOW TO SUBMIT YOUR ORDER

Note to MUFFIN users:

GSA is phasing out its Multi-Use File for Interagency News (MUFFIN) system as part of an effort to terminate expensive legacy software systems. Fire customers should note that both GSA Web sites (www.GSAglobalsupply.gsa.gov and www.gsaAdvantage.gov) were enhanced during 2003 to include MUFFIN functionality and thereby facilitate customer ordering. Users of either Web site may:

- Set up phased delivery for GSA stock items.
- Submit requisitions for any NSN. Non-GSA managed NSNs will be passed to the NSN manager (i.e. DLA).
- Enter part-numbered requisitions.
- Vary the common (header) data by line if required.
- Add exception data within the FEDSTRIP function (rather than at the cart).
- Link to an updated FEDSTRIP user's guide, and direct access to requisition status within the FEDSTRIP function. Note: Requisition status will still be available from the Web site home page.

To use these new features, or to learn more about them, click on the FEDSTRIP/MILSTRIP link at either www.GSAglobalsupply.gsa.gov or www.gsaAdvantage.gov.

FEDSTRIP Process:

Customers must have an AAC or DODAAC and log in using their User ID and Password. (First-time users can register and select a user ID and password.) Once registered, users click on the FEDSTRIP link to access the screen shown below.

Customers may enter NSNs or part numbers, quantities and any exception data. Links are provided to reference materials (including the FEDSTRIP Operating Guide) for detailed explanations of screens and fields.

FEDSTRIP Ordering
Friday, August 22, 2003

Instruction: Complete the necessary FEDSTRIP ordering data below. Common data has been pre-filled based upon your FEDSTRIP Profile.

- To enter exception data for a line item (i.e., mark-for, inside delivery, etc.), click .
- To request regular delivery of GSA stocked items click the "Phased Delivery" link.
- Requisition Status is also available for all requisitions and is not limited to requisitions submitted through GSA Advantage! FEDSTRIP ordering.

Other FEDSTRIP Resources

- [▶ Requisition Status](#)
- [▶ FEDSTRIP Guide](#)
- [▶ Add an AAC](#)
- [▶ FEDSTRIP Profile](#)
- [▶ Phased Delivery](#)

* Mandatory field ▶ [Click here for an expanded view \(allows you to vary common data for each requisition\)](#)

*DOC ID	*RIC	*M & S	*AAC	*Julian Date	Suppl Address	*S I G	*Fund Code	Dist Code	Proj Code	*Priority	Req Del Date	Adv Code	Add Exception
A0A	GSA	A	DEMO	3234		A	00			03			<input type="checkbox"/>

*NSN (no dashes/blanks)	UI	*Qty	*Serial
			8647
			8648
			8649
			8650
			8651
			8652
			8653
			8654
			8655

[▶ Continue](#)

WILDLAND FIRE EQUIPMENT



A

HAND TOOLS

Single-Bit Ax

A. This boy's-style ax includes a hickory handle, which is secured with adhesive bonding and a plastic wedge. Features a 24"-long handle, 2-1/4-lb. head and a 4"-wide cutting edge. Forest Service Spec 5100-9. (NFES #0352)

Std. pack: 12

5110-00-293-2339

EA \$21.24



B

Fire Line Combination Tool

B. Combination pick and shovel can be folded for easy transport. Similar to army entrenching tool with 40" handle and serrations on shovel edges for cutting light brush. Intended for use on wildland fire lines and for general forest work and trail maintenance. For replacement handle, see NSN 5120-01-296-3592. Forest Service Spec 5100-325. (NFES #1180)

Std. pack: 10

5120-01-240-2120

EA \$45.30



C

Pulaski Tool

C. This ax-and-hoe combination tool is designed for fire-line digging and chopping. Cutting edges: 3-3/8" (hoe); 4-1/2" (ax). For replacement handle, see NSN 5110-01-137-7507. Forest Service Spec 5100-355. (NFES #0146)

Std. pack: 10

5120-00-293-3467

EA \$54.48



D

McLeod Tool

D. Fire-line digging tool is a rake-and-hoe combination. Forest Service Spec 5100-353. (NFES #0296)

Std. pack: 10

4210-00-203-3512

JWOD

Width: 11"

EA \$53.52



E

Collapsible Fire-Fighting Rake

E. Collapsible metal rake is designed for fire-line construction. Features stainless steel tines that extend to 16" in width. Features a foam-grip handle. Lengths: 59-1/2" (extended) and 49-2/5" (collapsed). Weight: 3.3 lbs. REC Drawing No. 90-5700C. (NFES #0659)

Std. pack: 10

4210-01-387-1392

EA \$41.82

GSA Global Supply guarantees compliance with federal procurement regulations.

GSA Global Supply accepts the GSA SmartPay® purchase card or can bill directly through your AAC.



Forest Fire Rake and Cutting Tool

A. Council or Rich tool is designed for fire-line digging. Features triangular cutting heads on a 12"-wide hoe-type frame. Consists of four mowing-machine cutter blades riveted to a steel frame. Straight handle is 52" long. Forest Service Spec 5100-284. (NFES #1807)

■ Std. pack: 10

4210-00-540-4512 JWOD EA \$17.64




Forest Fire Shovel

B. Designed especially for fighting wildland fires. Features a solid shank and a straight handle. Special shape size #1 with forward step. Forest Service Spec 5100-326. (NFES #0171)

■ Std. pack: 10

5120-00-965-0609 EA \$34.34



Sharpening Gauge

C. This highly portable gauge makes it simple to refurbish and inspect fire tools in the shop or field! Contains guides for axes, shovels, Pulaski tools, combination tools and McLeod tools. Aluminum construction is 7.5 x 20.5 x 0.3 cm in size. Instructions clearly printed on both sides. MTDC Drawing 846. (NFES #0510)

■ Std. pack: 10 or 100

5210-01-324-2776 EA \$20.46



Abrasive Disk

D. Abrasive disks with closed coating and aluminum oxide grit. Unslotted with a 7/8" arbor hole (without backing pads). ANSI B7.7, ANSI B74.18.

Grit size: 24. (NFES #1828)

■ Std. pack: 4 (25 EA/BX)

5345-00-558-5928 Diameter: 7" BX(contains 25 EA) \$18.91

SHEATHS

Leather Ax Sheath



Constructed of lightweight, high-grade harness leather and riveted throughout. Black or russet. Houses a single-bit ax with a 2-1/4-lb. head. Features belt loop and buckle flap fastener. For use with Single-Bit Ax NSN 5110-00-293-2339. Forest Service Spec 5100-314. (NFES #0359)

■ *Std. pack: 36*

8465-00-293-3369 EA \$7.44

McLeod Tool Sheath



Molded polyurethane plastic sheath accommodates a McLeod tool. Helps keep edges sharp while protecting personnel. For use with McLeod Tool NSN 4210-00-203-3512. Forest Service Spec 5100-316. (NFES #1854)

■ *Std. pack: 10 or 100*

8465-01-136-4718 JWOD Orange EA \$2.80

Shovel Tool Sheath



Molded polyurethane plastic sheath accommodates a hand shovel and protects tool and user. Riveted with washers on both sides. For use with Forest Fire Shovel NSN 5120-00-965-0609. Forest Service Specs 5100-316. (NFES #1853)

■ *Std. pack: 10 or 100*

8465-01-136-4719 JWOD Orange EA \$3.92

Pulaski Tool Sheath



Molded polyurethane plastic sheath effectively covers the sharp edges of a Pulaski tool. Sheath consists of a buckle-and-strap section and rivet holes for fasteners. Sections are fastened together with oval-head rivets and washers. For use with Pulaski Tool NSN 5120-00-293-3467. Forest Service Spec 5100-316. (NFES #0257)

■ *Std. pack: 10 or 100*

8465-01-067-9999 JWOD Orange EA \$3.77

Please use the Global Supply order form at the back of this catalog for all mail and fax orders. Please copy the blank order form for future use.

HANDLES AND HANDLE WEDGES

Ax Handle



Straight-grain, solid hickory handle is comprised of high-grade, heavyweight stock. Forest Service Spec 5100-9.

Replacement handle for Single-Bit Ax NSN 5110-00-293-2339. (NFES #1812)

■ Std. pack: 12

5110-00-293-3380 Length: 26" EA \$5.96

Tool Handle



Solid hickory handle serves as replacement handle for Pulaski Tool NSN 5120-00-293-3467. Forest Service Drawing MEDC 632. Forest Service Spec 5100-355. (NFES #1857)

■ Std. pack: 12

5110-01-137-7507 Length: 36" EA \$12.25



This hardwood handle serves as a replacement handle for Fire Line Combination Tool NSN 5120-01-240-2120. Tapered working end fits metal ferrule with hinged tool and locking nut. Forest Service Drawing MEDC 736. Forest Service Spec 5100-355. (NFES #1168)

■ Std. pack: 12

5120-01-296-3592 Length: 41" EA \$7.83

Tool Handle Wedge

Tool handle wedge is made from carbon steel or similar material that is corrosion resistant. Thin end of the wedge is blunt to prevent splitting of the tool handle. For use in keeping ax and Pulaski tool handles secure.



Metal: 3/16" thick; 9/16" wide; 1-3/16" long. (NFES #0432)

■ Std. pack: 6

5120-00-278-7590 DZ \$15.52

Tool handle wedge is made from dense hardwood. For use in keeping ax and Pulaski tool handles secure.



Wood: approximately 5/16" thick; 2-3/8" wide; 2-1/2" long. (NFES #0433)

■ Std. pack: 1

5120-00-293-3451 DZ \$9.04

**Emergency
Fire
Orders:
See page 4
of this
publication.**

HOSES AND GASKETS

Synthetic-Cotton Fire Hose



Elastomer-lined fire hose features an ozone-resistant lining. Single synthetic cotton jacket is mildew resistant. Working pressure is 450 psi, coupled with aluminum, rocker-lug coupling. Forest Service Spec 5100-186.

1"-diameter hose features a 1" 11-1/2 NPSH threaded aluminum coupling. (NFES #0966)

■ Std. pack: 2

4210-00-777-1591 LG(contains 100 FT) \$74.57

1-1/2"-diameter hose features 1-1/2" 9 NH threaded aluminum couplings. (NFES #0967)

■ Std. pack: 2

4210-00-777-1592 LG(contains 100 FT) \$96.00

Synthetic-Lined Fire Hose



Lined, synthetic, woven jacket hose is lightweight and 100 feet long with aluminum rocker lug couplings. Working pressure: 450 psi. Forest Service Spec 5100-187.

1"-diameter hose features 1" NPSH threaded couplings. (NFES #1238)

■ Std. pack: 2

4210-01-166-8122 JWOD LG(contains 100 FT) \$61.59

1-1/2"-diameter hose features a 1-1/2" NH threaded coupling. (NFES #1239)

■ Std. pack: 2

4210-01-165-6597 JWOD LG(contains 100 FT) \$76.07

Synthetic Garden Hose



Lightweight hose features a woven synthetic jacket and is lined. The 5/8"-diameter hose features 3/4" to 11-1/2" NH threaded coupling (equivalent to standard garden hose threads). Operating pressure is 200 psi. To be used for mop-up operations, pumper protection, and miscellaneous applications. (NFES #1016)

■ Std. pack: 20

4210-01-167-1061 JWOD LG(contains 50 FT) \$15.72

High-Pressure Fire Hose



High-pressure fire hose features 1" 11-1/2 NPSH compression wedge couplings. Braided hose has a 3/4" inside diameter. Working pressure: 600 psi. Forest Service Spec 5100-185. (NFES #1220)

■ Std. pack: 2

4210-00-595-1838 LG(contains 50 FT) \$147.14

Want another copy of this catalog? E-mail us at cmls@gsa.gov.

Rubber Suction Fire Hose



Suction fire hose with rocker-lug couplings is made of rubber and fabric with wire reinforcement. Forest Service Spec. 5100-184. Couplings per Forest Service Spec 5100-108.

1-1/2"-diameter hose features a 1-1/2" NH threaded coupling. (NFES #1808)

■ Std. pack: 4

4210-00-889-1774 LG(contains 8 FT) \$93.57

1-1/2"-diameter hose features a 1-1/2" NH threaded coupling. (NFES #0115)

■ Std. pack: 4

4210-00-889-1775 LG(contains 10 FT) \$99.78

Fire Hose Gasket



Designed for fire hose connections, this gasket is made of synthetic rubber and is circular in shape. Forest Service Spec 5100-190.

For 1" nominal waterway diameter. Has a 1-1/16" inside diameter and a 1-7/16" outside diameter. Thickness: 1/8". (NFES #0743)

Ⓜ 36-month maximum shelf life (extendable)

■ Std. pack: 20

5330-00-720-2621 PG(contains 10 EA) \$1.66

For 1-1/2" nominal waterway diameter. Has a 1-9/16" inside diameter and a 2-1/16" outside diameter. Thickness: 1/8". (NFES #0254)

Ⓜ 36-month maximum shelf life (extendable)

■ Std. pack: 20

5330-00-239-1873 PG(contains 10 EA) \$1.34

For 2" nominal waterway diameter. Has a 2-1/16" inside diameter and a 2-3/8" outside diameter. Thickness: 1/8". (NFES #0742)

Ⓜ 36-month maximum shelf life (extendable)

■ Std. pack: 20

5330-00-239-1875 PG(contains 10 EA) \$2.68

For 2-1/2" nominal waterway diameter. Has a 2-9/16" inside diameter and a 3-3/16" outside diameter and is 3/16" thick. (NFES #2326)

Ⓜ 36-month maximum shelf life (extendable)

■ Std. pack: 20

5330-00-239-1877 PG(contains 10 EA) \$3.45

GSA Global Supply accepts the GSA SmartPay[®] purchase card or can bill directly through your AAC.

WATER-HANDLING ACCESSORIES

- Unless otherwise noted, the working pressure of all items under this heading is 600 psi.
- All flow rates are at 100-psi flowing pressure.
- 3/4" connections in this catalog use GHT (Garden Hose Thread) threads and 1 1/2 NH threads interchangeably; both designations are the same threads.
- This catalog includes some threads that are specific to the USDA Forest Service and do not follow the NFPA standard. We indicate the threads used on each item.

Fire Hose Thread Adapter



Thread adapter features aluminum couplings with a 600-psi test pressure. Forest Service Spec 5100-107.

1-1/2" NH female and a 1-1/2" NPSH male. (NFES #0006)

■ Std. pack: 10 or 60

4210-01-079-9284	EA	\$5.66
------------------	----	--------

1-1/2" NPSH female and a 1-1/2" NH male. (NFES #0007)

■ Std. pack: 10 or 60

4210-01-079-9283	EA	\$5.66
------------------	----	--------

Fire Hose Double Female Adapter



Double female connection has aluminum couplings with a 600-psi test pressure. Forest Service Spec 5100-107.

Both ends are 1" NPSH. Female, swivel couplings. (NFES #0710)

■ Std. pack: 10 or 60

4210-01-080-1457	EA	\$10.52
------------------	----	---------

Both ends are 1-1/2" NH. (NFES #0857)

■ Std. pack: 10 or 60

4210-01-081-8749	EA	\$11.30
------------------	----	---------

Fire Hose Double Male Adapter



Double male connection with center wrenching is plain style. Has aluminum couplings with a 600-psi test pressure. Measures 2" long overall. Forest Service Spec 5100-107.

Both ends are 1" NPSH. (NFES #0916)

■ Std. pack: 10 or 60

4210-01-080-1458	EA	\$7.37
------------------	----	--------

Both ends are 1-1/2", 9 NH. (NFES #0856)

■ Std. pack: 10 or 60

4210-01-079-9285	EA	\$6.19
------------------	----	--------

Fire Hose Cap with Chain



Aluminum fire hose threaded cap for use on fire equipment. Furnished with gasket and chain. 600-psi operating pressure. Forest Service Spec 5100-107.

1" NPSH. (NFES #0732)

■ Std. pack: 10 or 60

4210-01-082-0575	EA	\$5.03
------------------	----	--------

1-1/2" NH. (NFES #2210)

■ Std. pack: 10 or 60

4210-01-081-8751	EA	\$6.41
------------------	----	--------

Fire Hose Increaser



Increaser has aluminum couplings with a 600-psi test pressure. Forest Service Spec 5100-107.

Includes a 1" NPSH female and a 1-1/2" NH male. (NFES #0416)

■ Std. pack: 10 or 60

4210-01-080-6532 EA \$7.59

Includes a 3/4" NH female and a 1" NPSH male. (NFES #2235)

■ Std. pack: 10 or 60

4210-01-080-6531 EA \$5.15

Fire Hose Reducer



Reducers have aluminum couplings with 600-psi test pressure. Forest Service Spec. 5100-107.

Includes a 1" NPSH female and a 3/4" NH male. (NFES #0733)

■ Std. pack: 10 or 60

4210-01-079-9286 EA \$7.37

Includes a 1-1/2" NPSH female and a 1" NPSH male. (NFES #0418)

■ Std. pack: 10 or 60

4210-00-294-2648 EA \$7.12

Includes a 1-1/2" NH female and a 1" NPSH male. (NFES #0010)

■ Std. pack: 10 or 60

4210-00-975-2969 EA \$6.79

Includes a 2-1/2" NPSH female and a 1-1/2" NH male. (NFES #2229)

■ Std. pack: 10 or 60

4210-01-081-0419 EA \$10.71



Includes a 2-1/2" NH female and a 1-1/2" NH male. (NFES #2230)

■ Std. pack: 10 or 60

4210-01-508-8818 EA \$9.82

Hoseline Tee with Capped Male Branch



Aluminum alloy tee issues 600-psi maximum operating water pressure. Forest Service Spec 5100-107.

Connects 1" NPSH female threaded inlet to 1" NPSH outlet and 3/4", 1 1/2" NH branch with male threads. Male threaded 3/4" branch is closed with removable aluminum alloy cap. (NFES #1809)

■ Std. pack: 10 or 60

4210-01-081-0418 EA \$18.90

Connects 1" NPSH female threaded inlet to two 1" NPSH male threaded outlets. One outlet is closed with removable aluminum alloy cap. (NFES #2240)

■ Std. pack: 10 or 60

4210-01-080-1459 EA \$15.12

Connects 1-1/2", 9 NH female threaded inlet to 1-1/2", 9 NH outlet and 1" NPSH branch with male threads. Branch is closed with removable aluminum alloy cap. (NFES #0731)

■ Std. pack: 10 or 60

4210-01-080-1460 EA \$11.91

- The National Fire Protection Association (NFPA) standard calls for 3/4" and larger connections to be NH (national standard) threads. The wildland agencies have adopted this, except for 3/4" and 1" connections: The 3/4" connections shall be 3/4" 11-1/2 NH (rather than the NFPA standard of 3/4" 7.5 to 8 NH) and 1" shall be NPSH (straight pipe) thread.
- All female connections come with gaskets in place.
- All aluminum-threaded items are hard-coated for durability.

Water-Handling Accessories

Hoseline Tee with Valved Male Branch

Aluminum alloy tee issues 600-psi maximum operating water pressure. Forest Service Spec 5100-107.



Connects 1-1/2", 9 NH female threaded inlet to 1-1/2", 9 NH discharge and 1" NPSH branch with male threads. Includes female-threaded 1" valve for attachment to branch. (NFES #0230)

■ Std. pack: 10 or 60

4210-01-081-0417 EA \$16.70

Fire Hose Nozzle



Barrel-type plastic polycarbonate nozzle adjusts from straight stream to fog to off. Rubber bumper and gasket included. Threads per Forest Service Spec 5100-190.

Female intake is 1" NPSH, with an output capacity of 17 to 20 gpm. (NFES #0138)

■ Std. pack: 10 or 100

4210-00-085-2291 Length: 4-3/4" EA \$6.74



Female intake is 1-1/2", 9 NH, 20 to 75 gpm. (NFES #1082)

■ Std. pack: 20

4210-01-167-1123 EA \$40.95

Female intake is 1-1/2", 9 NH, with an output capacity of 60 gpm. (NFES #0137)

■ Std. pack: 10 or 60

4210-00-181-8872 Length: 4-3/4" EA \$6.49



Wildland fire hose nozzle with 3/4" GHT inlet threads NH (garden hose) threads, brass. Flow rate varies from 4-gpm spray pattern to 8-gpm straight-stream pattern. Working pressure of 250 psi. Forest Service Spec 5100-243.

(NFES #0136)

■ Std. pack: 10 or 100

4730-00-595-1103 Length: 5" EA \$14.27



Barrel-type nozzle with shutoff is made of aluminum alloy. Outer barrel rotates from high flow spray, to high flow straight stream, to low flow spray, to low flow straight stream, and to off. Forest Service Spec 5100-239.

Female intake is a 1", 11-1/2 NPSH, 10 to 25 gpm. (NFES #1081)

■ Std. pack: 20

4210-01-165-6603 EA \$22.30



This shutoff-type nozzle with two outlets is a combination fog and straight-stream nozzle. Both outlets feature 3/4" GHT threads. Comes with a 3/16" (10 gpm) straight-stream tip and a 3-gpm spray tip. Inlet is 1" NPSH female. Selector ranges from spray to straight to off. Aluminum nozzle; tips may be brass or aluminum. Forest Service Spec 5100-240.

(NFES #0024)

■ Std. pack: 20

4210-00-640-1892 EA \$119.70

Fire Hose Nozzle Tip



Tips for all nozzles have 3/4" GHT female threaded inlets. Fog-stream-type tip has 3/4", 11-1/2 NH female threaded inlet and is made of aluminum. Measures 2-1/2" in overall length. Forest Service Spec 5100-244.

Size 3 tip issues 2 to 4 gpm. (NFES #0635)

■ Std. pack: 24

4210-00-204-3358 EA \$15.21

Size 6 tip issues 5 to 7 gpm. (NFES #0636)

■ Std. pack: 24

4210-00-204-3386 EA \$18.33



Tips for all nozzles have 3/4" GHT female threaded inlets. Solid straight-stream-type tip has a 3/4", 11-1/2 NH female threaded inlet is made of aluminum. Measures 1-3/4" in overall length. Forest Service Spec 5100-244.

Discharge opening is 3/16", 9.4 gpm. (NFES #0637)

■ Std. pack: 24

4210-00-203-3855 EA \$5.09

Discharge opening is 1/4", 16.8 gpm. (NFES #0737)

■ Std. pack: 24

4210-00-177-6135 EA \$5.20

Discharge opening is 3/8", 37.9 gpm. (NFES #0638)

■ Std. pack: 24

4210-00-203-3845 EA \$7.19

**Want another copy of this catalog?
E-mail us at cms@gsa.gov.**

GSA Global Supply offers tens of thousands of office products, tools and maintenance/repair/operations supplies. See the complete inventory of products at www.GSAGlobalsupply.gsa.gov.

Shut-Off Valve



Aluminum valve has a female threaded inlet with gasket recess and male threaded outlet. Features an on-off or open-close lever with stops at both positions. Removable inlet or outlet allows for easy cleaning and repair. With a 600-psi rating. Forest Service Spec 5100-238.

Includes 1", 11-1/2 NPSH threads on both ends. (NFES #1201)

■ Std. pack: 20

4210-01-165-6599	EA	\$50.40
------------------	----	---------

Includes 1-1/2", 9 NH threads on both ends. (NFES #1207)

■ Std. pack: 20

4210-01-165-6600	EA	\$56.70
------------------	----	---------

Fire Hose Wye Valve



Aluminum wye valve has a female inlet and two ball-valved male outlets. Ball-type release of water either or both outlets. Working pressure is 600 psi. Forest Service Spec 5100-380.

Threads are 1", 11-1/2" NPSH. (NFES #0259)

■ Std. pack: 10

4210-00-126-5108	EA	\$61.74
------------------	----	---------

Threads are 1-1/2", 9 NH. (NFES #0231)

■ Std. pack: 10

4210-00-984-3475	EA	\$88.20
------------------	----	---------

Foot Valve



Foot valve is made of brass or aluminum alloy and has a strainer. Forest Service Spec 5100-383. (NFES #0212)

Female threaded connection is 1-1/2", 9 NH.

■ Std. pack: 10

4820-00-126-5114	EA	\$29.89
------------------	----	---------

Spanner Wrench



Hose coupling-type wrench is designed for use on slotted or rocker-lug couplings on Forest Service fire hoses. Spanner wrench cannot be used on pin-lugs. Made of bronze, forged brass, cast aluminum or forged aluminum. Forest Service Spec 5100-101.

Single-ended wrench that fits 1", 11-1/2 NPSH and 1-1/2", 9 NH coupling. (NFES #0234)

■ Std. pack: 20

5120-00-596-1426	Length: 6"	EA	\$4.12
------------------	------------	----	--------



Double-ended type that fits 1", 11-1/2 NPSH, 1-1/2", 9 NH, and 2-1/2", 7-1/2 NH couplings. (NFES #0235)

■ Std. pack: 20

5120-00-596-1427	Length: 8-3/4"	EA	\$4.89
------------------	----------------	----	--------

GSA Global Supply serves more than 300,000 federal customers!

Mop-Up Kit



Designed for wildland fire mop-up operations, this kit contains all the equipment necessary for three people to attach to a lateral line to put out spot fires. Includes hose, T-valves, reducers, applicator wands and nozzles, wrenches, and more. (NFES #0772)

■ Std. pack: 1

4210-01-321-4206 JWOD KT \$414.50

Fire Hose Nozzle

Brass fog pattern spray tip, flows 3 gpm at 100 psi, 3/4" connection garden hose threads (GHT). (A component of Mop-Up Kit NSN 4210-01-321-4206.)



Threads per Forest Service Spec 5100-190. (NFES #0735)

■ Std. pack: 24

4210-01-412-5683 EA \$8.19

Garden Hose Shut-Off Valve

Shut-off valve for use on small hoses and nozzles. 125 psi and 3/4" garden hose threads.



(This is a component of the Mop-Up Kit NSN 4210-01-321-4206.) Threads per Forest Service Spec 5100-190. (NFES #0738)

■ Std. pack: 100

4210-01-412-5684 EA \$1.63

Fire Hose Clamp



Shut-off clamp is designed for use on single-jacket, rubber-lined fire hoses sized 1 and 1-1/2". Capable of shutting off water in a hose at 300-psi operating pressure. Lightweight and compact enough to carry in a hip pocket or on a belt loop. Forest Service Spec 5100-245. (NFES #0046)

■ Std. pack: 20

4210-00-767-7123 EA \$28.97

Garden Hose Wye Valve



Small wye valve features 3/4" garden hose threaded (GHT) connections. Includes one inlet and two outlets with gated shut-off ball valves, 200 psi. (This is a component of Mop-Up Kit NSN 4210-01-321-4206.) Threads per Forest Service Spec 5100-190. (NFES #0272)

■ Std. pack: 100

4210-01-412-6335 EA \$2.37

Fire Hose Water Applicator



Water application wand is designed for use in watering down wildland fire hotspots. Applicator is 52" long and comes apart in the middle. One section of the applicator is bent near the tip. All connections are 3/4" garden hose threads (GHT). (This is a component of Mop-Up Kit NSN 4210-01-321-4206.) Threads per Forest Service Spec 5100-190. (NFES #0720)

■ Std. pack: 12

4210-01-412-5688 EA \$23.63

PUMPS AND ACCESSORIES

Backpack Pump Outfit

A. Complete backpack pump outfit is a combination of five-gallon Backpack Pump Bag NSN 8465-01-321-1678, Fire-Fighting Hand Pump NSN 4320-00-595-0762 and Backpack Pump Shoulder Straps NSN 8465-01-416-1951. (NFES #1149)

■ *Std. pack:* 6

4320-00-289-8912	JWOD	EA	\$89.23
------------------	------	----	---------



Backpack Pump Shoulder Straps

B. Two padded replacement shoulder straps for five-gallon water bags are adjustable via slide and end snaps. Pad covers are yellow. (For use with Backpack Bag NSN 8465-01-321-1678 and Water Bag NSN 8465-01-310-1259.) Forest Service Spec 5100-103. (NFES #0495)

■ *Std. pack:* 20

8465-01-416-1951		EA	\$11.62
------------------	--	----	---------



Backpack Pump Bag

C. Nylon duck-covered backpack-pump bag comes complete with two replaceable inner bladders, one female quick-connect fitting, and shoulder straps. Includes a pocket for carrying an extra bladder. Holds water supply for fighting wildland fires. Not safe for use with drinking water. Quick-connect hose fitting mates with Fire-Fighting Hand Pump NSN 4320-00-595-0762 (not included). Forest Service Drawing 832. Forest Service Spec 5100-103. (NFES #1197)

■ *Std. pack:* 10

8465-01-321-1678	Yellow	Capacity: 5 gal.	EA	\$47.50
------------------	--------	------------------	----	---------



Backpack Pump Liner

D. Replacement bladder is designed for Backpack Pump Bag NSN 8465-01-320-1678. Does not include a quick-connect fitting. (Not safe for use with drinking water bag; for drinking water-safe bag, see Water Bag NSN 8465-01-310-1259.) Packaged 10 per box. Forest Service Drawing 864. Forest Service Spec 5100-95. (NFES #0597)

■ *Std. pack:* 10 or 100

8465-01-321-1679	Clear	Capacity: 5 gal.	EA	\$7.11
------------------	-------	------------------	----	--------



Fire-Fighting Hand Pump

E. Trombone-style, plunger-type pump includes a quick-connect fitting. Positive displacement, single-action type includes screw-on combination solid straight-stream and fog nozzle. For use with Backpack Pump Outfit NSN 4320-00-289-8912. Forest Service Spec 5100-256. (NFES #0151)

■ *Std. pack:* 10

4320-00-595-0762	Length: 18"	EA	\$36.87
------------------	-------------	----	---------



Pumps and Accessories

Backpack Pump Straps

This 2-1/2"-wide strap features a padded shoulder portion and heavy-weight webbing. Adjustable by slide and end snaps. Two straps with attachments and shoulder pads are for supporting backpack pump. For use with metal Backpack Pump Outfit NSN 4320-00-632-8996.

Must be used with an old rubber bladder bag; not usable with a new nylon pump bag. Forest Service Spec 5100-257. (NFES #2589)

■ Std. pack: 10 or 100

4320-00-892-5391 Olive Drab or Black Size: 2-1/2 x 40" PR \$14.85



Quick-Connect Hose Fitting

Replacement hose connection for firefighter's backpack pump outfit. Made of brass, cadmium-plated steel or stainless steel. Attaches to inlet on Fire-Fighting Hand Pump NSN 4320-00-595-0762. Forest Service Spec 5100-256.

Male quick connect with male barbed hose connection. (NFES #0428)

■ Std. pack: 10 or 100

4730-01-057-0136 EA \$3.05



Replacement hose connection for firefighter's backpack pump outfit. Made of brass, cadmium-plated steel or stainless steel. Attaches to tank opening. Forest Service Spec 5100-257.

Female connection with male screw threads. (NFES #0429)

■ Std. pack: 10 or 100

4730-01-057-4210 EA \$6.34



We accept the GSA SmartPay® purchase card.

Fire-Fighting Water Pump

Backpack-style pump includes a rope rewind starter with a two-cycle air-cooled engine that uses a gas-oil mixture. Inlet/outlet size adapted to 1-1/2", 9 NH. Includes a hand priming device. Includes: tool pouch (tools not included); a 5" fuel line with primer bulb and quick disconnect; five-gallon fuel tank with quick disconnect. (No suction hose or other accessories are included with pump.) Forest Service Spec 5100-274. (NFES #0601)

Code designation: C-60-200/35. Four-stage centrifugal pump, pumps 70 gpm at 50 psi, 44 gpm at 200 psi, or 25 gpm at 250 psi. Weight: 55 lbs.

■ Std. pack: 1

4320-00-890-5879 EA \$3055.66

Backpack-style pump has a rope rewind starter with a two-cycle, air-cooled engine that uses a gas-oil mixture. Inlet/outlet size adapted to 1-1/2", 9 NH. Supplied with backpack frame. Forest Service Spec 5100-274. (NFES #0148)

Code designation: C-60-200/35. Four-stage centrifugal pump, pumps 70 gpm at 50 psi, 44 gpm at 200 psi, or 25 gpm at 250 psi. Weight: 55 lbs.

For backpack pump with accessories, see Fire-Fighting Water Pump NSN 4320-00-890-5879.

4320-01-495-3633 EA \$2800.89



Gasoline Can

Self-sealing quick-coupler enables user to change from one can to another in mere seconds! Quick-coupler immediately self-seals and completely stops flow of gasoline. Perfect for use with a portable fire-fighting water pump. (NFES #0218)

■ Std. pack: 1

7240-01-044-5523 Wildfire P/N FA-352GSA Capacity: 5 gal. EA \$98.64



Fire Pump Gasoline Line

Neoprene gasoline line with self-priming bulb connects portable gasoline pumps to quick-disconnect gas tank (see Gasoline Can NSN 7240-01-044-5523). Hose ends are fitted with female 7/16" SAE threads to accept quick-connect fittings (not included). Has a 1/4" ID. Cover is oil- and ozone-resistant. Forest Service Spec 5100-274. (NFES #0113)



Ⓜ 36-month maximum shelf life (extendable) ■ Std. pack: 36

4210-00-568-9904 LG(contains 5 FT) \$20.88

Funnel

General-purpose galvanized steel funnel has a rigid spout and removable brass strainer. For filling gasoline tanks or other general use. Fine mesh screens grit from gasoline. (NFES #0564)

■ Std. pack: 48

7240-00-527-9868 Capacity: 1 qt. EA \$2.84



FILES AND CHAINSAW ACCESSORIES

File (American Pattern)



American-pattern files mainly consist of machinist's files and mill or saw files. Machinist's files are used where metal must be removed rapidly and finish is of secondary importance. Mill or saw files are ideal for the following tasks: sharpening mill or circular saws and large crosscut saws; lathe work; draw filing; filing brass and bronze; smooth general filing. These files are characterized by hardened, uniform teeth and conventional tang for attaching a wooden handle. Forged from carbon alloy steel. The three standard tooth cuts available on American-pattern files are as follows: bastard-cut (coarse teeth for rapid stock removal); second-cut (medium teeth for moderate stock removal); smooth-cut (fine teeth for smooth finishes).

A. Mill (regular) file is for sharpening mill or circular saws and for general use. Width is tapered for one-third of length to point; thickness is uniform. Bastard-cut is single cut on both flat surfaces and both square edges. (NFES #0351)

Width: 13/16"; Teeth per inch: 42 to 48.

■ Std. pack: 1

5110-00-242-5384 Length: 8" DZ \$14.34

B. Round chainsaw file is used to sharpen all sizes of chain saw teeth. Diameter is uniform. (NFES #2105)

Diameter: 3/16"; Teeth per inch: 48 to 66.

■ Std. pack: 1

5110-00-782-7491 Length: 8" DZ \$6.04

B. Swiss-made round chainsaw file (smooth) forged tang. (NFES #0345)

Diameter: 7/32"; Teeth per inch: 48 to 66. Vallorbe P/N LC6678-8-7/32, or Oregon Cutting Systems P/N 70502.

■ Std. pack: 1

5110-00-965-0608 Length: 8" DZ \$8.18



American-Pattern is a bastard-cut (coarse teeth for rapid stock removal). Files are used where metal must be removed rapidly and finish is of secondary importance. These files are characterized by hardened, uniform teeth and conventional-style tang for attaching a wooden handle. Files are made of carbon alloy steel. Width is tapered for one-third of length to point; thickness is uniform.

Bastard-cut is single cut on both flat surfaces and both square edges.

Width: 1"; Teeth per inch: 38 to 48. (NFES #0060)

■ Std. pack: 1

5110-00-242-5385 Length: 10" DZ \$18.27

Width: 1-3/16"; Teeth per inch: 33 to 38. (NFES #1059)

■ Std. pack: 1

5110-00-242-5386 Length: 12" DZ \$24.91

File Handle



Wooden handle with metal ferrule is designed for use with files and similar tools that have tang-type shanks. Features tang-holding metal jaws or chuck. The adjusting mechanism consists of an adjusting cap and a threaded metal sleeve or screw.

Pre-bored holes receive tang-type shank.

Small handle fits 3 to 6" long files. Handle has a 1" diameter and a 4" overall length. (NFES #0358)

■ Std. pack: 1

5110-00-263-0342 DZ \$7.85

Large handle fits 10 to 14" files. Handle has a 1-1/2" diameter and a 5-1/2" overall length. (NFES #0063)

■ Std. pack: 1

5110-00-263-0341 DZ \$9.66

Chainsaw File Guide



Specially tooled for sharpening teeth and adjusting depth of cut on all types and sizes of chainsaws. Includes an 8"-long file, frame, clamps and joint device. Heavy-duty clamp attaches file guide to bench, preventing tipping. (NFES #0343)

■ Std. pack: 25

5110-01-046-5031 EA \$22.00

Prices in this catalog are subject to change without notice.

Current prices are available at www.GSAGlobalsupply.gsa.gov.

ICON KEY

The following is a list of icons used in this publication and the information each icon represents:



Key information to help make buying decisions



Material safety data sheet is available



Items with biodegradable packing materials as required by U.S. Navy's Plastics Removal in Marine Environment program



Includes information on recycled content



Comprehensive Procurement Guideline Compliant; the EPA designates these items with required recycled content



This product is part of a specific standard pack



Contact us for more information

Chainsaw Operator's Chaps



These heavy-duty chaps are designed specifically to protect against chainsaw cuts. The cut-resistant nylon duck shells are padded with five layers of aramid fillers. Chaps cover front and sides of legs from waist to mid-calf and are secured with adjustable waist belt and leg straps. For proper fit, length should be selected to cover from the user's waist to at least 3" below boot top. Features a tool pouch. Forest Service Spec 6170-4. (NFES #0045)

■ *Std. pack: 10*

8415-00-286-7507	Green	Length: 32"	PR	\$66.42
------------------	-------	-------------	----	---------

(NFES #0078)

■ *Std. pack: 10*

8415-01-028-5575	Green	Length: 36"	PR	\$68.88
------------------	-------	-------------	----	---------

(NFES #0150)

■ *Std. pack: 10*

8415-01-294-7717	Green	Length: 40"	PR	\$78.72
------------------	-------	-------------	----	---------

Plastic Forestry Wedge



Hard plastic wedge aids in forestry work, such as tree felling and bucking. Length: 12"; Thickness: 1-1/8"; Width: 3-1/4". (NFES #2725)

■ *Std. pack: 24*

5510-01-045-9198	EA	\$3.40
------------------	----	--------

Fuel-Purging Fluid

Fluid removes fuel residue from small, portable fuel tanks, allowing for safe storage and transportation. Rust-inhibiting purging fluid in tin-plated steel can includes a trigger-type sprayer. Fluid is non-flammable and has low toxicity. Military Spec MIL-PRF-38299. (NFES #0700)

■ *Std. pack: 1*



6850-01-144-9871	MSDS	Can Size: 1 pt.	DZ	\$29.99
------------------	------	-----------------	----	---------

BATTERIES

Carbon-Zinc Battery

These carbon-zinc batteries are non-rechargeable.

A. Rectangular battery with rounded corners and stud and nut terminals. Consists of four 1.5V dry cells packaged in a series as a single unit. ANSI C 18.1. Consumer designation: 4FY.

(NFES #1233)

Ⓢ 24-month maximum shelf life (not extendable) ■ Std. pack: 6

6135-00-643-1307 Size: 6V (2-3/16 x 10-5/8 x 7-1/2") EA \$19.40



B. Square-shaped with rounded corners and coil-spring terminals. For use with Lantern NSN 6230-00-500-0523.

(NFES #0031)

Ⓢ 24-month maximum shelf life (not extendable) ■ Std. pack: 6 (12/pg)

6135-00-643-1310 Size: 6V (2-11/16 x 2-11/16 x 4") PG (contains 12 EA) \$31.20



Alkaline Battery

This alkaline, manganese dioxide battery is great for use with tape recorders, pocket calculators, smoke detectors, transistor radios and other electronic equipment. Frequently lasts more than twice as long as the same size carbon-zinc battery, depending on type of use. Non-rechargeable. ANSI C 18.1.

Cylindrical battery has flat terminals. Nominal voltage: 1.5V.

Pallet contains a total of 1,792 packages (224 cases, each containing eight packages).

(NFES #0030)

Ⓢ 36-month maximum shelf life (not extendable) ■ Std. pack: 12

C. 6135-00-985-7845 Size: AA PG (contains 24 EA) \$8.64



(NFES #0834)

Ⓢ 36-month maximum shelf life (not extendable) ■ Std. pack: 6 (12/pg)

D. 6135-00-985-7846 Size: C PG (contains 12 EA) \$8.03



(NFES #0033)

Ⓢ 36-month maximum shelf life (not extendable) ■ Std. pack: 12

E. 6135-00-835-7210 Size: D PG (contains 12 EA) \$11.05



**GSA Global Supply
serves more than
300,000
federal customers!**

LANTERNS

Lantern

Easily portable, this battery-operated spotlight has an on-off switch, one installed lamp, and one spare lamp. Requires one ANSI/NEDA 908 6V battery (NSN 6135-00-643-1310), not included. (NFES #0127)



■ *Std. pack: 12*

6230-00-500-0523				EA	\$10.38
------------------	--	--	--	----	---------



Firefighter's Headlamp

Electric headlamp with helmet-mounted batteries for use on the firefighter's helmet. Consists of the headlamp, rubber headstrap, and a battery pack that holds four AA batteries (not included). Battery pack attaches to headstrap at the rear of the head.

(NFES #0713)

■ *Std. pack: 48*

6230-01-387-1399	JWOD	Red/Black		EA	\$17.32
------------------	------	-----------	--	----	---------

Battery-operated, computer-controlled headlamp for mounting on helmet. Consists of an adjustable light head, a battery holder (five required AA batteries are housed in holder), and a rubber headband. With headlamp at front, battery holder mounts to rear, connected by quick-disconnect cord. Push-button control with two levels of light output, electronic chip regulates light to provide continuous output regardless of battery power and will drain batteries completely within 6 to 8 hours life at high output and 12 to 16 hours of light at low output (depending on batteries). Chip will pulse light when batteries are near the end of their use.

(NFES # 0667)

■ *Std. pack: 20*

6230-01-493-7630	JWOD	Yellow/Black		EA	\$44.41
------------------	------	--------------	--	----	---------



FIRST AID



A

Insect Bite Swab

A. Non-toxic swab or wipe provides quick relief from pain, irritation and itching caused by insect bites or stings. (NFES #1243)

■ *Std. pack: 10 or 100*

6510-01-045-3506				PG(contains 10 EA)	\$0.77
------------------	--	--	--	--------------------	--------

Insect Repellent

B. This lotion-like repellent is effective against mosquitoes, gnats, ticks, biting flies and chiggers. Contains a minimum of 25-percent active ingredients (minimum 17 percent DEET). (NFES #0705)

■ *Std. pack: 144*

6840-01-003-9589	MSDS			BT (Contains 1 oz.) OZ	\$1.26
------------------	------	--	--	------------------------	--------



B

First Aid

First Aid Kit



First aid kit is designed by the USDA Forest Service for forest workers and wildland firefighters, but it is suitably equipped for all users. Kit contains: three povidone iodine swabs; two gauze pads; two non-stick pads; six bandages (woven adhesive); four butterfly closures; elastic bandage; pair of latex gloves; mouth-to-mouth barrier; towelette; biohazard bag; roll of adhesive tape; two sheets of moleskin; face mask; two aspirins; two acetaminophen tablets. Includes instructions for mouth-to-mouth barrier use and contents list. Type I. Forest Service Spec 6170-6. (NFES #0067)

Personal first aid kit comes in a translucent plastic telescoping case.

Ⓜ 24-month maximum shelf life (extendable) 📦 Std. pack: 100

6545-00-656-1092 JWOD Case: 3-1/2 x 3-1/2 x 1-3/4" EA \$11.36



First aid kit is designed by the USDA Forest Service for forest workers and wildland firefighters, but it is suitably equipped for all users. Kit contains: antiseptic kit; two iodine bottle/iodine swab units; two body fluids barrier kit; 25 bandages (woven adhesive); 12 knuckle bandages; 16 butterfly closures; two elastic bandages; two triangular bandages; bandage compress; elastic support; two combine dressings; two pairs of latex gloves; three rolls of adhesive tape; two sheets of moleskin; two chemical cold packs; two eyewash units; bottle tincture of green soap; bottle calamine lotion; 20 aspirins; 20 acetaminophen tablets; two patient information tags; forceps; medic shears; lead pencil. Includes instructions for mouth-to-mouth barrier use, first aid manual, and contents list. Type III. Forest Service Spec 6170-6. (NFES #1604)

For use in vehicles or large crews (20 to 25 persons). Comes in a metal hanging case. Can be used with alice clips.

Ⓜ 24-month maximum shelf life (extendable) 📦 Std. pack: 10

6545-00-656-1094 JWOD Case: 10 x 14-1/2 x 2-3/4" EA \$79.62



First aid kit is designed by the USDA Forest Service for forest workers and wildland firefighters, but it is suitably equipped for all users. Kit contains protective components for the user. Kit contains: antiseptic kit; two body fluids barrier kits; 25 bandages (woven adhesive); 12 knuckle bandages; 16 butterfly closures; four elastic bandages; two triangular bandages; compress bandage; elastic support (roll); three combine dressings; four latex gloves; three roles of adhesive tape; two sheets of moleskin; two chemical cold packs; two containers of eye wash solution; two bottles of tinctures of green soap; two bottles of calamine lotion; 20 aspirin tablets; 20 acetaminophen tablets; two patient information tags; forceps; paramedic shears; lead pencil. Includes instructions mouth-to-mouth barrier use, first aid manual, and contents list. Type IV. Forest Service Spec 6170-6. (NFES #1143)

For use by crew (up to 25 persons) in the field. Comes in a red nylon duck case attached to a 2"-wide belt with buckle.

Ⓜ 24-month maximum shelf life (extendable) 📦 Std. pack: 10

6545-01-010-7754 JWOD Case: 10 x 10 x 2-3/4" EA \$107.46

Bodily Fluids Barrier Kit



For use with other first aid kits or by itself, this kit contains components to protect first responders and first aid providers from bodily fluids such as blood. Each kit comes in a red nylon case with a hanging snap and includes two one-person sets, each in a reclosable pouch. Each set contains one pair of latex gloves, one combination face-and-eye shield, one mouth-to-mouth shield, two towelettes, and one biohazard disposal bag with tie. Forest Service Spec 6170-15. (NFES #0640)

📦 Std. pack: 10

6515-01-376-7247 KT \$22.97

PERSONAL PROTECTION

Fire Shelter Case



This nylon duck case is specially designed for carrying and storing an emergency wildland fire shelter. Features vertical and horizontal belt hangers and closes via Velcro fasteners. User instructions included. For use with Fire Shelter NSN 4240-01-123-1616 and Fire Shelter Carrying Case Liner NSN 8465-01-300-1699. Marked with "FSS," "NFPA 1977," and "Fire Shelter" NFPA 1977, MEDC 662 Forest Service Spec 5100-322, Type 1. (NFES #0167)

Std. pack: 10

8465-01-121-8699	Bright Yellow	EA	\$10.07
------------------	---------------	----	---------

Fire Shelter Case Liner



Sturdy, open-topped, hard-plastic liner protects a fire shelter from being crushed. Fits inside fire shelter case, and the fire shelter fits inside the liner. (Fire shelter and case sold separately as Fire Shelter NSN 4240-01-123-1616 and Fire Shelter Carrying Case NSN 8465-01-121-8699.) Meets Forest Service Spec 5100-323, MTDC 829. (NFES #0199)

Std. pack: 50

8465-01-300-1699	Opaque White	EA	\$4.03
------------------	--------------	----	--------

Fire Shelter, Complete (M-2002)



New-generation fire shelter provides increased protection from radiant and convective heat in wildland firefighter entrapment situations. Designed by the U.S. Forest Service Missoula Technology and Development Center. This set includes: fire shelter (NSN 4240-01-498-3184); nylon duck carrying case (NSN 8465-01-498-3190); carrying case plastic liner (NSN 8465-01-498-3191). Forest Service Spec 5100-606. (NFES #0925)

Std. pack: 10

4240-01-498-3194		EA	\$245.71
------------------	--	----	----------

The old-style fire shelter (NSN 4240-01-121-8698, NFES #0169) has been discontinued and is no longer available from GSA. However, its two components, Fire Shelter Case (NSN 8465-01-121-8699, NFES #0167) and Fire Shelter Liner (NSN 8465-01-300-1699, NFES #0199), will continue to be stocked by GSA to support field units that are still using the old-style fire shelters. The current U.S. Forest Service policy is that the old-style fire shelters will remain in use for as long they meet inspection and safety criteria. Any changes to that policy will come from the U.S. Forest Service, Missoula Technology and Development Center, which is located in Missoula, Montana. The old-style fire shelter has been replaced by a new-generation fire shelter (NSN 4240-01-498-3194, NFES #0925), which is listed in this catalog, along with its various components.

For the most current information on availability and pricing, visit us online at www.GSAglobalsupply.gsa.gov.

Fire Shelter, Single (M-2002)



New-generation fire shelter provides increased protection from radiant and convective heat in wildland firefighter entrapment situations. Each shelter comes folded in a quick-opening clear polyvinyl bag. Fire shelter only; does not come with a case or case liner. A component of Fire Shelter, Complete (M-2002) NSN 4240-01-498-3194. Forest Service Spec 5100-606.

Use with M-2002 Fire Shelter Case (NSN 8465-01-498-3190) and M-2002 Fire Shelter Case Liner (NSN 8465-01-498-3191). Each sold separately. (NFES #0926)

■ Std. pack: 10

4240-01-498-3184 EA \$228.69

Fire Shelter Carrying Case (M-2002)



Nylon duck case for carrying a M-2002 fire shelter. Opening flap closes with Velcro. Includes vertical and horizontal hangers. Instructions provided in front pocket. A component of Fire Shelter, Complete (M-2002) NSN 4240-01-498-3194. Forest Service Spec 5100-609.

Designed for use with Fire Shelter (M-2002) NSN 4240-01-498-3184 and Fire Shelter Carrying Case Liner (M-2002) NSN 8465-01-498-3191. (NFES #0927)

■ Std. pack: 10

8465-01-498-3190 Blue EA \$14.06

Fire Shelter Carrying Case Liner (M-2002)



Open-topped hard plastic liner fits inside M-2002 fire shelter carrying case. Liner protects the shelter from being crushed. A component of Fire Shelter, Complete (M-2002) NSN 4240-01-498-3194. Forest Service Spec 5100-610.

Designed for use with Fire Shelter (M-2002) NSN 4240-01-498-3184 and Fire Shelter Carrying Case (M-2002) NSN 8465-01-498-3190. (NFES #0928)

■ Std. pack: 50

8465-01-498-3191 EA \$2.96

Training/Practice Fire Shelter, Complete (M-2002)



Reusable practice fire shelter system for training in use of M-2002 fire shelter. Duplicates feel and actions of M-2002 fire shelter. Includes the carrying case, case liner, polyvinyl bag, and practice shelter. Forest Service Spec 5100-611.

Note: This item is not fire-resistant and should not be used as a fire shelter. (NFES #2678)

■ Std. pack: 10

6930-01-499-0605 EA \$65.26

Training/Practice Fire Shelter (M-2002)



Reusable practice fire shelter system is designed for training in use of M-2002 fire shelter. Duplicates feel and actions of M-2002 fire shelter. Forest Service Spec 5100-611.

Reusable polyvinyl bag (NSN 6930-01-499-0618), carrying case (NSN 6930-01-499-0614) and carrying case liner (NSN 8465-01-498-3191) are sold separately. **Note: This item is not fire resistant and should not be used as a fire shelter. (NFES #2679)**

■ *Std. pack: 10*
 6930-01-499-0608 EA \$46.68

Training/Practice Fire Shelter Carrying Case (M-2002)



Nylon duck case for carrying a M-2002 practice fire shelter. Opening flap closes with Velcro. Includes vertical and horizontal hangers. Instructions provided in front pocket. Forest Service Spec 5100-612.

Practice fire shelter (NSN 6930-01-499-0608), reusable polyvinyl bag (NSN 6930-01-499-0618), and carrying case liner (NSN 8465-01-498-3191) are sold separately. **(NFES #2680)**

■ *Std. pack: 10 or 100*
 6930-01-499-0614 Red EA \$14.63

Training/Practice Fire Shelter Bag, Polyvinyl (M-2002)



Reusable polyvinyl bag for M-2002 practice fire shelter. Simulates the tear-open bag used with the real fire shelter. Forest Service Spec 5100-611.

Polyvinyl bag only. Practice fire shelter (NSN 6930-01-499-0608), carrying case (NSN 6930-01-499-0614), and carrying case liner (NSN 8465-01-498-3191) are sold separately. **(NFES #2681)**

■ *Std. pack: 100*
 6930-01-499-0618 EA \$10.20

Training Fire Shelter System



Reusable practice fire shelter system is designed for training in the use of a fire shelter. Duplicates feel and actions of real fire shelters. Complete training fire shelter includes case, bag and shelter. Forest Service Spec 5100-318 and 5100-322.

Note: This item is not fire-resistant and cannot be used as a fire shelter. (NFES #2407)

■ *Std. pack: 10*
 6930-01-387-8543 Orange EA \$41.28

Training Fire Shelter



Plastic fire shelter is a reusable system for training in the use of a fire shelter. Duplicates the feel and actions of a real fire shelter. **Note: This item is not fire-resistant and cannot be used as a fire shelter. Reusable training fire shelter bag is sold separately as NSN 6930-01-387-8541. Forest Service Spec 5100-318. (NFES #2408)**

■ *Std. pack: 10*
 6930-01-387-8487 EA \$42.90

It is GSA policy to offer products that fully comply with all applicable environmental regulations and Executive Order 13101.

Personal Protection

Training Fire Shelter Bag



Bag for training fire shelter only. Reusable polyvinyl bag simulates the tear-open bag used in real fire shelters. Forest Service Spec 5100-318. (NFES #2409)

■ *Std. pack: 100*

6930-01-387-8541 EA \$15.41

Chest Harness



Black nylon webbing harness is designed for carrying a fire shelter on the chest. Features straps over the shoulders and around the chest. The fire shelter fastens to a horizontal hanger. Forest Service Spec 5100-104. MEDC Drawing 948. (NFES #0294)

■ *Std. pack: 20*

8465-01-463-4648 EA \$12.01

Training Fire Shelter Case



Carrying case for training fire shelter. Forest Service Spec 5100-322. (NFES #2410)

■ *Std. pack: 10 or 100*

6930-01-387-8533 Orange EA \$17.08

Wildland Firefighter's Face-and-Neck Shroud



Flame-resistant face-and-neck shroud protects the lower face and neck of a wildland firefighter from radiant heat. Attaches to Firefighter's Helmet NSN 8415-01-055-2265 via a hook-and-pile fastener tape. Shroud extends approximately 10" below helmet and encircles the head, leaving a 6"-wide, 4"-deep opening for the eyes. Closes in front with hook-and-loop fastener tape. One size fits all. Washable. Forest Service Spec 5100-601. (NFES #1274)

■ *Std. pack: 20*

8415-01-483-6075 Yellow EA \$17.74

Do you want help or have questions relating to the fire program or GSA support in general? Contact GSA Fire Program Coordinator Ray Balli by calling (817) 978-8637 or e-mailing him at ramon.balli@gsa.gov.

We welcome your comments and suggestions regarding any aspect of this publication. Please complete and submit the comments form located at the end of this publication.

Wildland Firefighter's Helmet



Cap-style helmet with peak includes three non-metallic headlamp/goggle retainer clips and four retro-reflective strips. Four-point suspension headband with crown straps, sweatband, and nape devise with slide tab system at back for size adjustment. Three strips of hook fastening tape on inside of helmet for attaching a face-and-neck shroud. Adjustable chin strap. Fits head sizes 6-1/2 to 8. Approved for use on wildland fire lines by the USDA Forest Service. Conforms to NFPA 1977. (NFES #0109)

■ *Std. pack: 20*

8415-01-055-2265	Yellow	EA	\$20.01
------------------	--------	----	---------



Wildfire FH911 series helmets are specifically engineered to meet the requirements of wildland firefighters. Available in both cap and hat (full brim) styles, the FH911 series helmets include goggle retainer clips, 3M "Scotchlite" reflective strips, a ratchet suspension system, and a postman's slide chinstrap. Includes three strips of hook-fastening tape for attaching a face-and-neck shroud (NSN 8465-01-483-6075). Bullard's Wildfire FH911 Series helmets meet and exceed the performance specifications of NFPA 1977-1998, as certified by U.S. Testing and all major state fire codes for wildland firefighting. Fits head sizes 6-1/2 to 8.

Cap style.

(NFES #0723)

■ *Std. pack: 25*

8415-01-504-9044	Red	EA	\$27.38
------------------	-----	----	---------

(NFES #0724)

■ *Std. pack: 25*

8415-01-504-9045	White	EA	\$27.38
------------------	-------	----	---------

(NFES #0722)

■ *Std. pack: 25*

8415-01-504-9042	Yellow	EA	\$27.38
------------------	--------	----	---------



Hat style (full brim).

(NFES #0922)

■ *Std. pack: 10*

8415-01-504-9048	Red	EA	\$29.78
------------------	-----	----	---------

(NFES #0923)

■ *Std. pack: 10*

8415-01-504-9050	White	EA	\$29.78
------------------	-------	----	---------

(NFES #0921)

■ *Std. pack: 10*

8415-01-504-9047	Yellow	EA	\$29.78
------------------	--------	----	---------

Personal Protection

Safety Goggles



Low-profile design goggles protect against chemical splash and impact. Toric lens provides superior optics and peripheral vision. Soft elastomer seal on frame seals goggles to face while providing enhanced comfort. Impact-resistant, clear polycarbonate lens absorbs over 99.9% of harmful UV light. Indirect venting increases air circulation. Quick-adjust headband. Meets ANSI Z87.1. Uvex model Stealth S3960C. (NFES #0318)

■ *Std. pack:* 50

4240-01-504-7863 PR \$7.55



For use as primary eye protection while performing any job that can produce eye-damaging debris. Also suitable as chemical goggles in areas with indirect venting. Goggles consist of a polycarbonate plastic lens with a soft outer molded plastic frame and may be worn over most prescription glasses. Features an anti-scratch, anti-fog coating and UV protection, and an elastic headband. (NFES #0300)

■ *Std. pack:* 100

4240-01-292-2818 **PRIME** UNICOR Clear PR \$5.76

Safety Glasses



Glasses provide eye protection while the wearer performs light work and can be worn over most prescription glasses. Wrap-around-style goggles are made of polycarbonate plastic and feature an anti-scratch, anti-fog coating and UV protection. In accordance with ANSI Z87.1.

(NFES #0475)

■ *Std. pack:* 100

4240-01-292-2816 UNICOR Clear PR \$3.97

(NFES #0476)

■ *Std. pack:* 100

4240-01-292-5055 UNICOR Tinted Amber PR \$4.29

(NFES #0474)

■ *Std. pack:* 100

4240-01-292-2817 UNICOR Tinted Gray PR \$4.29

Ear Plugs



Plugs are designed to provide general hearing protection in noisy environments. Made of non-toxic, non-allergenic closed cell PVC foam that expands to fit most ear sizes. New two-color design allows for quick inspection of proper insertion by users. Dispenser box contains 200 individually wrapped pair. A-A-54878

Note: Some of the previous style ear plugs remain in GSA stock. Orders from wildland fire-fighting organizations will be filled with the old style ear plugs until stock is exhausted. (NFES #1027)

■ *Std. pack:* 1 (200 pr)

6515-00-137-6345 JWOD BX (contains 400 EA) \$25.73



Firefighter's Work Gloves



These heavy-duty, Gunn-cut, cowhide gloves are designed for use on fire lines and can be used for general forestry work. Feature an adjustable wrist strap. Meet the requirements for NFPA 1977-98. Forest Service Spec 6170-5.

(NFES #1293)

■ *Std. pack:* 10 or 100

8415-01-394-0208 UNICOR Extra-Small PR \$12.05

(NFES #1294)

■ *Std. pack:* 10 or 100

8415-01-394-0209 UNICOR Small PR \$12.05

(NFES #1295)

■ *Std. pack:* 10 or 100

8415-01-394-0210 UNICOR Medium PR \$12.05

(NFES #1296)

■ *Std. pack:* 10 or 100

8415-01-394-0215 UNICOR Large PR \$12.05

(NFES #1297)

■ *Std. pack:* 10 or 100

8415-01-397-3937 UNICOR Extra-Large PR \$12.05



Wildland Firefighter's Shirt



Flame-resistant, 5-1/2-oz. Aramid shirt is designed for use by wildland firefighters as a safety garment. The bright yellow shirt is single-breasted with a button front, a rolled collar, and a straight-cut bottom. Shirt has two flap-closing breast pockets and hook-and-pile fasteners for pockets and cuffs. Forest Service Spec 5100-91.

(NFES #0522)

■ *Std. pack: 50*

8415-01-211-6316	Extra-Small (13-1/2 x 31")	EA	\$72.43
------------------	----------------------------	----	---------

(NFES #0577)

■ *Std. pack: 50*

8415-00-233-5818	Small (14-1/2 x 32")	EA	\$72.43
------------------	----------------------	----	---------

(NFES #0511)

■ *Std. pack: 50*

8415-01-434-0618	Small/Long (14-1/2 x 33")	EA	\$72.43
------------------	---------------------------	----	---------

(NFES #0578)

■ *Std. pack: 50*

8415-00-233-5819	Medium (15-1/2 x 33")	EA	\$72.43
------------------	-----------------------	----	---------

(NFES #0569)

■ *Std. pack: 50*

8415-01-421-3905	Medium/Long (15-1/2 x 34")	EA	\$72.43
------------------	----------------------------	----	---------

(NFES #0579)

■ *Std. pack: 50*

8415-00-259-8718	Large (16-1/2 x 34")	EA	\$72.43
------------------	----------------------	----	---------

(NFES #2078)

■ *Std. pack: 50*

8415-01-285-3530	Large/Long (16-1/2 x 36")	EA	\$72.43
------------------	---------------------------	----	---------

(NFES #0580)

■ *Std. pack: 50*

8415-00-259-8722	XL (17-1/2 x 35")	EA	\$72.43
------------------	-------------------	----	---------

(NFES #2079)

■ *Std. pack: 50*

8415-01-284-7500	XL/Long (17-1/2 x 37")	EA	\$72.43
------------------	------------------------	----	---------

(NFES #0570)

■ *Std. pack: 50*

8415-01-421-3907	XXL (18-1/2 x 36")	EA	\$72.43
------------------	--------------------	----	---------

(NFES #0512)

■ *Std. pack: 50*

8415-01-434-0626	XXL/Long (18-1/2 x 37")	EA	\$72.43
------------------	-------------------------	----	---------

Personal Protection

Wildland Firefighter's Pants



BDU-style pants includes waist take-up straps that fasten with metal buckles, thigh pockets. The hem drawstrings have no fasteners. Wildland firefighters safety garment. High temperature resistance, 7-1/2 oz./sq. yd. Aramid cloth. Forest Green. Forest Service Spec 5100-92.

(NFES #2800)

■ *Std. pack: 5 or 30.*

8415-01-464-2282	Waist: 26 to 30"; Length: 30"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2700)

■ *Std. pack: 5 or 30.*

8415-01-464-4242	Waist: 26 to 30"; Length: 34"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2801)

■ *Std. pack: 5 or 30.*

8415-01-464-3672	Waist: 28 to 32"; Length: 30"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2701)

■ *Std. pack: 5 or 30.*

8415-01-464-4247	Waist: 28 to 32"; Length: 34"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2802)

■ *Std. pack: 5 or 30.*

8415-01-464-3671	Waist: 30 to 34"; Length: 30"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2702)

■ *Std. pack: 5 or 30.*

8415-01-464-4244	Waist: 30 to 34"; Length: 34"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2803)

■ *Std. pack: 5 or 30.*

8415-01-464-3676	Waist: 32 to 36"; Length: 30"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2703)

■ *Std. pack: 5 or 30.*

8415-01-464-4248	Waist: 32 to 36"; Length: 34"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2804)

■ *Std. pack: 5 or 30.*

8415-01-464-3677	Waist: 34 to 38"; Length: 30"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2704)

■ *Std. pack: 5 or 30.*

8415-01-464-5742	Waist: 34 to 38"; Length: 34"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2805)

■ *Std. pack: 5 or 30.*

8415-01-464-3678	Waist: 36 to 40"; Length: 30"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2705)

■ *Std. pack: 5 or 30.*

8415-01-464-5621	Waist: 36 to 40"; Length: 34"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2706)

■ *Std. pack: 5 or 30.*

8415-01-464-5624	Waist: 38 to 42"; Length: 34"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2707)

■ *Std. pack: 5 or 30.*

8415-01-464-5645	Waist: 40 to 44"; Length: 34"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2806)

■ *Std. pack: 5 or 30.*

8415-01-464-3673	Waist: 38 to 42"; Length: 30"	PR	\$62.73
------------------	-------------------------------	----	---------

(NFES #2807)

■ *Std. pack: 5 or 30.*

8415-01-464-3675	Waist: 40 to 44"; Length: 30"	PR	\$62.73
------------------	-------------------------------	----	---------

**GSA Global Supply:
Your Reliable Government Source**

PACKS AND ACCESSORIES

Personal Gear Pack

A. Heavyweight, urethane-coated nylon duck pack carries up to 40 lbs. of gear. Styled with a main compartment, a sleeping-bag compartment, and front and back pockets. Features adjustable shoulder straps that hide away in back pocket and buckles that allow pack to be attached to a firefighter's field pack. Includes carrying handle on side of bag.

Forest Service Spec 5100-215. (NFES #1855)

Std. pack: 10

8465-01-141-2321	JWOD	Red		EA	\$42.92
------------------	------	-----	--	----	---------

Packsack

B. Intended for use in a wide variety of field-related activities, including wildland fire suppression. The top of the packsack closes with a drawstring and a zippered pocket flap. Includes shoulder straps and a chest strap. Dark green heavy duty nylon duck cloth. Forest Service Spec 5100-214.

(NFES #0744)

Std. pack: 20

8465-00-205-3493	JWOD	Green	16-1/2 x 15 x 6"	EA	\$42.92
------------------	------	-------	------------------	----	---------

Tent Bag

C. Personal gear pack tent bag contains and transports a one-person tent that compacts into a 28 x 5" size. For attachment to Personal Gear Pack NSN 8465-01-141-2321. Forest Service Spec 5100-215B. Drawing MTDC 949. (NFES #0281)

Std. pack: 20

8465-01-463-4649	JWOD	Red		EA	\$27.13
------------------	------	-----	--	----	---------



GSA Global Supply offers tens of thousands of office products, tools and maintenance/repair/operations supplies. See the complete inventory of products at www.GSAglobalsupply.gsa.gov.

Packs and Accessories

Complete Field Pack

All the tools the wildland firefighter needs in one kit. Includes a main pack with a belt, two canteen cases, and a belt pack. All components are coated nylon duck. Also includes all necessary hardware and an adjustable, padded harness for men or women. (Canteen sold separately as NSN 8465-00-102-6381.) Forest Service Spec 5100-217. (NFES #1372)



■ Std. pack: 10

8465-01-169-3996 JWOD Bright Yellow EA \$78.46

Field Pack Main Pack

Replacement nylon duck pack is for the main pack included in the Complete Field Pack NSN 8465-01-169-3996. Forest Service Spec 5100-217. (NFES #1559)



■ Std. pack: 20

8465-01-193-9781 Bright Yellow EA \$32.21

Field Pack Belt

Nylon web belt attaches to the firefighter's field pack for added support and comfort. Serves as a replacement belt for the Complete Firefighter's Field Pack NSN 8465-01-169-3996. Forest Service Spec 5100-217. (NFES #1530)



■ Std. pack: 50

8465-01-175-7169 Black Width: 2-1/4" EA \$11.38

Please use the Global Supply order form at the back of this catalog for all mail and fax orders. Please copy the blank order form for future use.

Field Pack Belt Pack

Nylon duck belt pack replaces the belt pack included in the Complete Field Pack NSN 8465-01-169-3996. With two straps to attach to belt. Forest Service Spec 5100-217. (NFES #0590)



■ Std. pack: 50

8465-01-274-9910 Bright Yellow EA \$11.88

Field Pack Harness



Comfortable, padded harness is a replacement for the harness included in the Complete Field Pack NSN 8465-01-169-3996. Adjusts to be worn by men or women. Forest Service Spec 5100-217. (NFES #1557)

■ Std. pack: 50

8465-01-194-7019 Yellow/Black EA \$20.02

Field Pack Canteen Case

Replacement canteen case for the Complete Field Pack NSN 8465-01-169-3996. Canteen is made of nylon duck and webbing. Forest Service Spec 5100-217. (NFES #1529)



■ Std. pack: 200

8465-01-175-7170 Bright Yellow EA \$5.07

Briefcase



All-purpose case is made of sturdy nylon Cordura. Features a single inner compartment, pockets on each side, and a shoulder strap. (NFES #1526)

Std. pack: 20

8460-01-193-9769	JWOD	Smoke Gray	16 x 12 x 3"	EA	\$27.90
------------------	------	------------	--------------	----	---------

Fireline Pack (Complete)



Gear carrier is designed for use by wildland firefighters. Fireline pack includes a main compartment (measuring approximately 1,000 cu. in., with top rain skirt allowing expansion), two side pockets (which can hold two one-quart water bottles each), two lid pockets, two fusee pockets and a belt pocket (all totaling 2,100 cu. in.).

Bottom-mounted fire shelter sleeve can accommodate either a new-generation or old-design fire shelter. Lumbar-style pack hangs low on back for improved line-digging ergonomics. Includes two canteen cases and a stuff sack. Forest Spec 5100-605. (NFES #0674)

Std. pack: 10

8465-01-503-4484		Blue		EA	\$99.33
------------------	--	------	--	----	---------

Fireline Pack Carrying Case (Stuff Sack)



Cylindrical nylon duck carrying case (stuff sack) for use with the Fireline Pack NSN 8465-01-503-4488. Forest Service Spec 5100-605. (NFES #0677)

Std. pack: 200

8465-01-503-4482		Blue		EA	\$6.83
------------------	--	------	--	----	--------

Fireline Pack Canteen Case



Replacement canteen case for Fireline Pack NSN 8465-01-503-4488. Made from nylon duck and webbing. Forest Service Spec 5100-605. (NFES #0675)

Std. pack: 200

8465-01-503-4479		Blue		EA	\$7.63
------------------	--	------	--	----	--------

Main Fireline Pack



Replacement nylon duck fireline pack for NSN 8465-01-503-4484. Main pack only; does not include canteen cases nor stuff sack. Forest Service Spec 5100-605. (NFES #0678)

Std. pack: 10

8465-01-503-4488		Blue		EA	\$64.73
------------------	--	------	--	----	---------

Our efforts are ongoing to fulfill your supply needs and provide you with quality products at cost-saving prices. We now offer a wider range of products than ever before. Check out our expanded inventory at www.GSAglobalsupply.gsa.gov!

CANTEENS, WATER BAGS AND ACCESSORIES

Canteen

For carrying water, this canteen features a chained screw cap and an over-the-shoulder carrying strap. It is made of polyethylene plastic and the sides are covered by polycarbonate disks for protection against punctures and abrasion. (NFES #1063)

■ Std. pack: 10



8465-00-082-3054 Capacity: 4 qt. EA \$8.26

Rigid plastic water bottle with cap is rectangular and disposable. Measures 2-1/2 x 3-3/4 x 8-1/4" overall. Comes with a protective cover that encloses the entire canteen. (NFES #0038)

■ Std. pack: 100



8465-01-062-5854 JWOD Opaque White Capacity: 1 qt. EA \$3.27

Rigid plastic water bottle with cap is rectangular and disposable. Measures 2-1/2 x 3-3/4 x 8-1/4". Forest Service Spec 5100-84. (For cover, see Canteen Case NSN 8465-00-118-4956.) (NFES #0037)

■ Std. pack: 100



8465-00-102-6381 Opaque White Capacity: 1 qt. EA \$0.31

Canteen Case

Designed to cover Canteen NSN 8465-00-102-6381, this medium-weight cotton duck case features snap fasteners to hold the canteen in place. Web loops attach to belt. Silkscreen reads: "FSS." Forest Service Spec 5100-85. (NFES #0054)

■ Std. pack: 50 or 300



8465-00-118-4956 JWOD White Capacity: 1 qt. EA \$2.45

Water Bag



This backpack-style bag for drinking water comes complete with two replaceable inner bladders and removable straps. Nylon duck outer covering includes a pocket to store the extra bladder. Can be used in conjunction with Field Pack Harness NSN 8456-01-194-7019. Includes an exterior spigot. MTDC Drawing 834. (Replacement liner may be purchased as NSN 8465-01-310-5130.) (NFES #0912)

■ Std. pack: 20

8465-01-310-1259 Blue Capacity: 5 gal. EA \$64.91

Water Bag Liner



Replacement drinking water bladder has attached rubber spigot. (For use with Water Bag NSN 8465-01-310-1259.) (NFES #0911)

■ Std. pack: 10 or 100

8465-01-310-5130 Clear or Silver Capacity: 5 gal. EA \$2.36

Routine Fire Orders:
See page 5 of this
publication.

Drinking Water Bag

For use in transporting drinking water only. Includes integral sling straps with a 4" steel cargo ring. Intended for transport by truck or helicopter external load. Complete unit includes two replaceable PVC liners (NSN 8465-01-369-2147) and one fill opening and two drain openings, each with a four-foot dispenser hose with fittings for proper attachment and flow control. Has three fill-and-use openings. All accessories and extra liner packed in the water bag's external pocket. Forest Service Spec 5100-94. (NFES #0435)



Std. pack: 1

8465-01-369-3557	Royal Blue	Capacity: 55 gal.	EA	\$206.42
------------------	------------	-------------------	----	----------

Suppression Water Bag

For wildland fire suppression use only. Has integral sling straps with a 4" steel cargo ring. Intended for transport by truck or helicopter external load. Complete unit includes one replaceable liner (NSN 8465-01-369-2149), one fill opening, and one drain opening; with a four-foot dispenser hose with fittings for proper attachment and flow control. Has two fill-and-use openings. All accessories packed in the water bag's external pocket. Forest Service Spec 5100-94. (NFES #0437)



Std. pack: 1

8465-01-369-2148	Yellow	Capacity: 55 gal.	EA	\$172.90
------------------	--------	-------------------	----	----------

Drinking Water Bag Liner

Replacement plastic liner for 55-gallon Drinking Water Bag NSN 8465-01-369-3557. For potable water use only. Forest Service Spec 5100-95. (NFES #0436)



Std. pack: 5

8465-01-369-2147			EA	\$37.82
------------------	--	--	----	---------

Suppression Water Bag Liner

Replacement liner for 55-gallon Suppression Water Bag NSN 8465-01-369-2148. Forest Service Spec 5100-95. (NFES #0438)



Std. pack: 5

8465-01-369-2149			EA	\$32.53
------------------	--	--	----	---------

Water Jug

A. Unassembled reservoir consists of a plastic liquid container with a 38-mm opening, a white 38-mm polyethylene cap, and a knock-down water container box. Box is made of plain brown cardboard (weather-resistant) with openings for a water spout and handles. (NFES #0048)

Std. pack: 1 (20 EA/BX)

7310-00-128-6837		Capacity: 5 gal.	BX(contains 20 EA)	\$89.22
------------------	--	------------------	--------------------	---------



Plastic Storage Container

B. This molded, plastic container stores foods and beverages and features a contoured handle and spout. Made of high-density plastic. Without fiberboard carton. (NFES #2058)

Std. pack: 6

8115-00-145-0038	White	Capacity: 5 gal.	EA	\$8.75
------------------	-------	------------------	----	--------



Food Container (Disposable)

C. Plastic food and beverage pail features a spout in the lid. Useful for providing hot food and drink to wildland firefighters in the field. Supplied over-packed in a box and insulated by foam. MEDC Drawing 831. (NFES #0073)

Std. pack: 1

7360-01-310-5131	JWOD	Capacity: 5 gal.	KT	\$11.90
------------------	------	------------------	----	---------



FOOD-HANDLING EQUIPMENT

Plastic Flatware



A

A. For use with field rations, odorless and tasteless spoon is heat tolerant and meets FDA requirements. Medium-duty, high-impact flatware is durable. A-A-3109. (NFES #0497)

■ *Std. pack: 30*

7340-00-170-8374 JWOD Tan/Sand Length: 5-3/4" HD \$3.89

Individual Flatware Set




B

B. Medium-duty set is excellent for use during picnics or with military rations. Smooth-finished flatware is made of high-impact, modified polystyrene and can be discarded after use. Set contains a 5" knife, a 5" fork and a 5" spoon in an easy-to-open cellophane bag. Heat-tolerant utensils are free of objectionable taste and odor. Ten sets per box. A-A-3109. (NFES #0129)

■ *Std. pack: 25*

7360-00-634-4800 JWOD White BX(contains 10 EA) \$1.19

Paper Tableware



C

C. Round, disposable paper cup is tapered to stack easily. It is odorless and leakproof and has a rolled edge. Meets FDA requirements.

Features a plastic coating on the inner surface. Tall-style cup with handle is terrific for holding hot liquids. A-A-2577. (NFES #0465)

■ *Std. pack: 1 (1,000/BX)*

7350-00-988-6498 JWOD Capacity: 8 oz. BX(contains 1000 EA) \$56.28

D. Disposable plate is waterproof, tasteless, odorless and grease resistant. Flat-bottom, nesting design meets FDA requirements.

Triple-compartment plate has one main compartment that covers 50% of plate and two smaller compartments, each covering 25% of plate. Compartment dividers are one-half as high as plate rim.

Round plate of molded pulp paper provides extra resistance to water and grease. Each plate is 7/8" deep with a 10-1/4" diameter. (NFES #0464)

■ *Std. pack: 1 (500/BX)*

7350-01-263-6700 JWOD White BX(contains 500 EA) \$62.34



D

GSA Global Supply accepts the GSA SmartPay® purchase card or can bill directly through your AAC.

Disposable Dinnerware



Kit contains 60 each of the following disposable items: plastic cups; paper cups; sets of flatware; paper table napkins; paper plates and inserts. Packaged in a fiberboard box that contains a 25-person, one-day, two-meal kit. (NFES #0135)

■ Std. pack: 1

7360-00-139-0480	JWOD	KT	\$24.50
------------------	------	----	---------

Dining Packet



For use with in-flight lunch boxes. Each packet contains: a white plastic knife, fork and spoon; a 6" plastic drinking straw; a two-ply, 17" paper napkin; a wash-and-dry paper towel; salt and pepper packets; two round, wooden toothpicks. This practical assortment is sealed in a sanitary cellophane envelope.

Also contains a can opener, chewing gum and sugar. A-A-3012 (NFES #0935)

■ Std. pack: 1 (200 PACKETS/BX)

7360-00-660-0526	JWOD	BX(contains 200 EA)	\$107.77
------------------	------	---------------------	----------

Firefighter's Meal Bag

Especially suited for forest firefighters and other on-duty emergency personnel, this bag holds an individual meal. Made of cotton sheeting or non-woven fabric, bag is washable and reusable. Can be tied to belt for carrying. (NFES #0018)



■ Std. pack: 24

8105-00-664-3715	Size: 10 x 17-1/2"	BD(contains 100 EA)	\$78.51
------------------	--------------------	---------------------	---------

Vacuum Jug

Intended for use during military operations, this jug can be used for hot or cold liquids (with the exception of milk and milk products). It is thermal-efficient and maintains content's original temperature for six hours. Made of stainless steel, with a captive metal cover with gasket, vent, chain and cam-type locking device. Faucet has two positions: self-closing and continuous flow. Also features a reinforced outer shell and is buoyant. May have bail handle or two rigid or drop handles and key-type spigot assembly with spigot guard. Conforms to NSF international standards.



Satin or butler finish.

Has a 10-gallon capacity and weighs 40 lbs. (NFES #0827)

■ Std. pack: 1

7330-00-819-7738	EA	\$518.27
------------------	----	----------

Water Cooler



Heavy-duty, five-gallon water cooler features durable, no-pinch carrying handles, cup dispenser bracket, recessed fast-flow spigot, wide-mouth screw-on lid, foamed-in-place insulation, and "Drinking Water" imprint (meets OSHA requirements). Fits standard cooler racks. Diameter: 12-1/2"; Height: 19". (NFES # 0943)

■ Std. pack: 1

7330-01-449-2319	Rubbermaid P/N 1685-01-11	Orange	EA	\$33.99
------------------	---------------------------	--------	----	---------

Food-Handling Equipment/Sleeping Bags and Accessories

Food Rations

Each assorted meal is complete (except for water) and designed for one person. Ready-to-eat food is ideal under conditions that preclude preparation. Each meal is different and consists of meat, fruit, dessert, bakery item, spoon, and a condiment/accessory packet (coffee, cream, sugar, salt, chewing gum, toilet tissue, matches, hand cleaner, etc.). Includes a flameless heater. (NFES #1842)



🕒 24-month maximum shelf life (extendable) 📦 Std. pack: 1 (12 EA/BX)

8970-00-149-1094

BX(contains 12 EA) \$96.12

Trash Bag



Medium-duty, plastic, premium-quality trash bag is intended for most office and average outdoor trash. Moderately resistant to punctures and tears, this bag can handle a mix of dry and wet loads. (Does not come with closure ties.)

Each 33-gallon bag has a 50-lb. load capacity. (NFES #0021)

♻️ 25% Postconsumer Material 📦 Std. pack: 1 (125/BX)

8105-01-183-9768 🏷️ JWOD Clear Size: 33 x 39" BX(contains 125 EA) \$19.61

GSA Global Supply: Your Reliable Government Source.

SLEEPING BAGS AND ACCESSORIES

Firefighter's Sleeping Bag



Summer-weight sleeping bag features a shell that is composed of nylon taffeta and is royal blue outside and gray inside. Features 2.3 lbs. of hollow polyester fiber batting and is suitable for use in temperatures down to 45° F. Overall weight: 3 lbs. Forest Service Spec 5100-31. (NFES #1062.)

📦 Std. pack: 10

8465-00-081-0798

JWOD

Size: 80 x 34"

EA \$40.03

Sleeping Bag



Mummy-type sleeping bag is for use by wildland firefighters in cold weather. Includes synthetic fill and is comfortable to 30° F (rated to 20° F). Features a 3/4" zipper and full hood with draw cord closure. Dark green inside and out. Fits individual up to 6'3" tall. (NFES #0022)

📦 Std. pack: 5

8465-01-119-5562

Dark Green

EA \$53.48

Do you want help or have questions relating to the fire program or GSA support in general? Contact GSA Fire Program Coordinator Ray Balli by calling (817) 978-8637 or e-mailing him at ramon.balli@gsa.gov.

Sleeping Bag Pad

When used in conjunction with a sleeping bag, EVA pad insulates the sleeper well from the cold, hard ground. Forest Service Spec 5100-522. (NFES #1566)



📦 Std. pack: 1 (50 EA/BX)

8465-01-223-8421

Gray

Size: 75 x 23 x 3/8"

BX(contains 50 EA) \$283.23

Blanket

This heavyweight, twill blanket is made of 80% wool and 20% cotton/ rayon, orlon or similar synthetic fibers. Edges are finished with over-edge stitching. Blanket will not shrink more than 10%. (NFES #0441)



Std. pack: 10

7210-00-205-2804 **PRIME** Heather Size: 66 x 84" EA \$17.17

Tent Fly



This general-purpose, heavy-duty tent fly is designed for use in wildland and fire-fighting camps. Water-repellent and flame-retardant tent fly features brass grommets for tie-down ropes.

Type I. Yellow oxford nylon cloth with polyurethane coating. Includes red polyurethane coated nylon duck cloth and carrying case. Forest Service Spec 5100-31. (NFES #0070)

Std. pack: 1

8340-00-102-6370 Yellow Size: 16 x 24 ft. EA \$201.38



Type II. Blue rip stop nylon cloth with polyurethane coating. Can be used as a ground cloth. Forest Service Spec 5100-31. (NFES #1521)

Std. pack: 20

8340-01-185-5512 Blue Size: 9 x 10 ft. EA \$38.94

Ridge Pole



Aluminum ridge pole for use with Forest Service wall tent and tent flies. Components: two end sections, three mid sections; one connector. Each end and mid section is 42" long; the connector section is 22". Forest Service MEDC Drawing 694. (NFES #0089)

Std. pack: 1

8330-01-107-5694 Length: 16 ft. EA \$93.68

Tent Pole



Telescoping upright aluminum tent pole is for use with tent fly and wall tent. Length: 10 ft., 6" when fully extended, or 39-7/8" when fully retracted. MIL-P-40148. (NFES #0083)

Std. pack: 10

8340-00-753-6574 EA \$42.52

Alarm Clock



Hand-wound, shelf-type alarm clock wakes user with a loud, 18-second (minimum) alarm. Includes Arabic numerals and minute markings on the face which is in a metal or plastic case. Spring-driven movement runs a minimum of 30 hours per winding. (NFES #0288)

Std. pack: 24

6645-00-268-4042 Diameter: 4" EA \$6.31

PERSONAL GROOMING AIDS




A

Paper Towels

A. Absorbent paper towels for kitchen use. Perforated sheets in roll form on a paperboard core. (NFES #0240)

♻️ Contains 40% Recovered Material, Which Includes 40% Postconsumer Material ■ Std. pack: 1 (30 RO/BX)

8540-01-169-9010 White Towel Size: 11 x 9" BX(contains 30 EA) \$19.72



B

Bath Towel (Disposable)

B. This heavy-duty, two-ply bath towel is made of disposable paper and features mesh reinforcement between the plies. (NFES #1038)

■ Std. pack: 1 (300 EA/BX)


7210-01-029-0370 JWOD White Size: 22 x 39" BX(contains 300 EA) \$65.10

Toilet Paper

C. Single-ply restroom tissue comes in uncompressed rolls. Consists of perforated sheets wound around a core. Individually wrapped. Basis weight: 11 lbs. (NFES #0142)

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material ■ Std. pack: 1 (96 RO/BX)

8540-00-530-3770 JWOD White Length: 4,500" per roll BX(contains 96 EA) \$47.92



C

Bar Soap

D. High-quality, mildly scented soap is non-medicated and provides extra softness with skin conditioners. Regular-sized cakes. (NFES #0208)

Ⓜ 24-month maximum shelf life (extendable) ■ Std. pack: 1 (72CK/BX)

8520-01-411-0628 Bar Size: 3 to 3-1/2 oz. BX(contains 72 EA) \$24.93



D

Personal Wash Kit

E. This convenient kit contains one each of the following: bar of soap; soap holder; bath towel; face towel; washcloth; wash basin with a six-quart capacity. MEDC Drawing 503. (NFES #0126)

■ Std. pack: 10 or 100

7360-00-139-1063 JWOD KT \$4.84



E

LIQUID STORAGE



A

Fuel Bottle

A. Aluminum fuel bottle is used for carrying fuel on the fire line. Measures 8.5 cm in diameter and 26 cm long and will fit in a firefighter's canteen case. For use in carrying chainsaw mix and other petroleum- or alcohol-based fuels. Not safe to carry drinking fluids. (NFES #1535)

■ *Std. pack: 20*

7240-01-351-2133	Red	Capacity: 1 liter	EA	\$8.16
------------------	-----	-------------------	----	--------

Fuel Bottle Bag

B. Blue nylon bag with DOT flammable emblem on sides (emblem not shown in photo) will hold six one-liter aluminum fuel bottles (see Fuel Bottle NSN 7240-01-351-2133), with side cinches to prevent rattling. Intended for use in aircraft transport. Forest Service Spec 5100-613. (NFES #0536)

■ *Std. pack: 20*

8465-01-503-4476			EA	\$13.40
------------------	--	--	----	---------



B

PAILS



C

Collapsible Pail

C. Round, collapsible pail is made of vinyl-coated nylon scrim. With a stiffened and reinforced top rim. Approximate size is 9" in diameter and 11" high. High tensile strength. Leakproof seams. Withstands up to 100 psi hydrostatic pressure. (NFES #0141)

■ *Std. pack: 10 or 100*

8465-00-128-6928	Yellow	Capacity: 3 gal.	EA	\$9.45
------------------	--------	------------------	----	--------

Utility Pail

D. Utility pail made of molded polyethylene plastic features one-quart graduations conveniently marked on the inside. Leakproof with tapered sides for easy stacking. Rim curls outward to improve rigidity.

Includes a plastic- or rubber-coated abrasion-resistant steel bail. Bleach-resistant pail has a pouring lip and heavy-duty wall thickness. Not intended for carrying or storing concentrated acids or strong oxidizing agents. (NFES #0487)

■ *Std. pack: 12*

7240-00-246-1097	JWOD	Blue	Capacity: 3 gal.	EA	\$4.45
------------------	------	------	------------------	----	--------



D

Want another copy of this catalog?
E-mail us at cmls@gsa.gov.

Rope and Cord



ROPE AND CORD

Rope

Twisted, three-strand rope is suitable for various uses, such as cattle ties, lines, halters, and tent ropes.

Made of cotton or cotton-blend fibers.

Has a 890-lb. breaking strength. Diameter: 3/8". (NFES #1801)

■ *Std. pack: 1*

4020-00-068-7906	Natural Circumference: 1-1/8"	CL(contains 600 FT)	\$49.69
------------------	-------------------------------	---------------------	---------

Has a 1,450-lb. breaking strength. Diameter: 1/2". (NFES #1802)

■ *Std. pack: 1*

4020-00-068-7907	Natural Circumference: 1-1/2"	CL(contains 600 FT)	\$74.80
------------------	-------------------------------	---------------------	---------

Cord

Braided polyamide nylon cord is light- and heat-resistant. Has a 550-lb. breaking strength and 30% minimum elongation. Used by the Forest Service for shroud lines on cargo parachutes. MIL-C-5040H, Type III. (NFES #0533)

■ *Std. pack: 1*

4020-00-240-2146	JWOD	White	SL(contains 2100 FT)\$109.45
------------------	------	-------	------------------------------



Order online with
www.GSAglobalsupply.gsa.gov
For customer service, call (800) 525-8027.

PACKAGING MATERIAL

Fire Equipment Repack Box



Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 500 psi and falls into the domestic class. Cover: Grade 350. Type CF. Half-slotted box with cover. Style HSCC.

Useful for repacking coffee pots. (NFES #0500)
 ♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (10 EA/BD)
 8115-00-139-0652 Size: 22 x 22 x 36" BD(contains 10 EA) \$98.67

Useful for repacking Pulaski tools. (NFES #0338)
 ♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (10 EA/BD)
 8115-00-139-0673 Size: 37-1/2 x 18-1/2 x 8" BD(contains 10 EA) \$59.47

Useful for repacking firefighting shovels. (NFES #0337)
 ♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (10 EA/BD)
 8115-00-139-0689 Size: 55 x 12-1/2 x 11-3/4" BD(contains 10 EA) \$70.17

Useful for repacking McLeod tools. (NFES #0305)
 ♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (10 EA/BD)
 8115-00-139-0690 Size: 56 x 20 x 11" BD(contains 10 EA) \$85.91

Useful for repacking fire line combination tools. (NFES #0384)
 ♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (10 EA/BD)
 8115-01-307-2951 Size: 46 x 11 x 8" BD(contains 10 EA) \$56.31

Useful for repacking 50 sleeping pads (75 x 23"). (NFES #0134)
 ♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (10 EA/BD)
 8115-01-381-6529 Size: 76 x 22-1/2 x 20-1/2" BD(contains 10 EA) \$144.10

Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 500 psi and falls into the domestic class. Type CF. Regular-slotted box. Style RSC.

Useful for repacking firefighting water pumps. (NFES #0643)
 ♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (10 EA/BD)
 8115-00-139-0749 Size: 41 x 15 x 19" BD(contains 10 EA) \$45.10

Useful as a general-purpose repack carton. (NFES #0353)
 ♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (10 EA/BD)
 8115-00-139-0706 Size: 39 x 13 x 13" BD(contains 10 EA) \$41.84

Useful for repacking general-purpose sleeping bags. (NFES #0644)
 ♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (10 EA/BD)
 8115-00-139-0691 Size: 33 x 16 x 22" BD(contains 10 EA) \$47.03

Useful for repacking chain saw kits. (NFES #0645)
Provided with handhold cut-outs.
 ♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (10 EA/BD)
 8115-01-504-1463 42 x 13-1/2 x 14" BD(contains 10 EA) \$37.21



Weather-resistant, single-walled box has a bursting strength of 400 psi. Regular-slotted box. Style RSC.

Useful for repacking firefighter's jeans. (NFES #2030)
 ♻️ Contains 25% Recovered Material, Which Includes 30% Postconsumer Material
 📦 Std. pack: 1 (15 EA/BD)
 8115-00-183-9481 JWOD Size: 24 x 16 x 12" BD(contains 15 EA) \$46.51

Useful for repacking firefighter's shirts. (NFES #2007)
 ♻️ Contains 30% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (5 EA/BD)
 8115-00-292-0123 JWOD Size: 24 x 16 x 16" BD(contains 5 EA) \$24.25

Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 350 psi and falls into the domestic class. Grade: 350. Regular-slotted box. Style RSC.

Useful for repacking canteens. Type CF. (NFES #2006)
 ♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (10 EA/BD)
 8115-00-139-0722 Size: 23 x 19 x 10" BD(contains 10 EA) \$29.21




Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 275 psi and falls into the domestic class. Type CF. Regular-slotted box. Style RSC.

Useful for repacking firefighter's sleeping bags. (NFES #0513)
 ♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (10 EA/BD)
 8115-01-290-9543 Size: 36-1/2 x 24-1/2 x 17" BD(contains 10 EA) \$42.23

Useful for repacking fuseses ASTM D5118. (NFES #1580)
 ♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
 📦 Std. pack: 1 (10 EA/BD)
 8115-01-219-5749 Size: 14-1/2 x 12 x 5-3/4" BD(contains 10 EA) \$179.18

Packaging Material



A

Packaging Tape Dispenser

A. Handheld tape dispenser is great for cutting filament-reinforced tape. Accommodates a 60-yard roll up to 1" wide with a 3" core. (NFES #2139)

■ Std. pack: 24

7520-00-579-9053

EA \$3.79



B

Strapping Tape

B. Fiberglass filament-reinforced tape is for closing full overlap or full telescope boxes, as well as general bundling and packaging. Also useful for carton reinforcing, unitizing and holding applications. Has a 3" core.

Medium-tensile-strength tape (300 lbs.-to-in. width) is transparent and is available in several widths.

For dispenser, see NSN 7520-00-579-9053. (NFES #0222)

Ⓜ 12-month maximum shelf life (extendable) ■ Std. pack: 9 or 36


7510-00-582-4772

JWOD

Transparent

Width: 1"

RO(contains 60 YD) \$2.11



C

Packaging Tape

C. This tape is excellent for sealing containers in situations that require high strength and resistance to water, sunlight and other adverse elements. Includes a plastic film backing and can be used in temperatures ranging from -65 to 160° F. Has a 3" core.

(NFES #0395)

Ⓜ 12-month maximum shelf life (extendable) ■ Std. pack: 6 or 24

7510-00-079-7906

Tan

Width: 2"

RO(contains 60 YD) \$1.94

(NFES #0396)

Ⓜ 12-month maximum shelf life (extendable) ■ Std. pack: 3 or 12

7510-00-079-7905

Tan

Width: 3"

RO(contains 60 YD) \$2.92



D

Plastic Wrap

Normal impact-strength polyethylene plastic film is for general-purpose packaging. It protects items from dust and is highly resistant to water and moderately resistant to vapor. Low-slip type. (Note: Thickness is listed for identification purposes as nominal; actual thickness may be less than listed.)

Not for use in contact with food.

(NFES #0144)

■ Std. pack: 3 or 12

D. 8135-00-579-6487

JWOD

Black

Width: 20 ft.; Thickness: 0.006"

RO(contains 100 FT) \$65.96

(NFES #0143)

■ Std. pack: 3 or 12

E. 8135-00-618-1783

JWOD

Clear

Width: 16 ft.; Thickness: 0.006"

RO(contains 100 FT) \$48.43



E



F

Boxcar Seal

F. This self-locking, boxcar-style seal discourages pilfering. Metal strap is passed through a hasp fastener and ends of strap are locked together inside metal box when closed, providing a sturdy seal. Excellent for sealing fire caches, tool boxes, mess kits, and more. Reads "U.S. Forest Service" and is numbered in a series. Federal Spec FF-S-2738.

(NFES #1938)

■ Std. pack: 50

5340-00-901-8105

Length: 8-1/2"; Width: 0.3"; Thickness: 0.03"

HD \$4.12

WEATHER GEAR

Weather Observation Kit



A complete observing kit with everything needed to measure temperature, relative humidity and wind velocity. Consists of Weather Kit Case NSN 8465-00-521-3057, Smoke Chaser Compass NSN 6605-00-553-8795, Wind Speed Indicator NSN 6680-00-833-7010, and Psychrometer NSN 6685-00-826-1662. Also contains writing board, 1-oz. plastic Screw-Cap Bottle NSN 8125-00-824-9058, Wood Pencil NSN 7510-00-281-5234, notebooks, and humidity and dew-point tables. Forest Service Spec 5100-150, MEDC-531. (NFES #1050)

Std. pack: 10

6660-01-024-2638 JWOD KT \$73.36

Weather Kit Case



The right tools to rate forest fire danger. Cloth case's pockets accommodate a wind meter, a compass, a psychrometer, a writing board, a notebook, pencils, and a

water bottle. Includes a snap-close cover flap and belt loops. Forest Service Spec 5100-450. (NFES #1154)

Std. pack: 25

8465-00-521-3057 EA \$15.06

Psychrometer



As a component of the weather observer kit, this pocket-size psychrometer measures relative humidity of atmospheric air. Two mercury thermometers on a metal mounting plate allow for dry- and wet-bulb readings. Thermometer range is 30 to 110° F. Features a sling handle for whirling and comes in a case. Includes plastic calculator for determining relative humidity. (NFES #1156)

Std. pack: 50

6685-00-826-1662 EA \$21.54

Wind Speed Indicator



Floating ball-type anemometer is used for determining wind velocity in miles per hour with low- and high-range scales and has plastic and metal construction. Includes carrying case, instructions and three cleaning rods. Forest Service Spec 5100-454. (NFES #1155)

Std. pack: 12 or 72

6680-00-833-7010 Size: 8 x 3 x 3/4" EA \$18.70

Screw-Cap Bottle




This unbreakable, heat-resistant plastic bottle is a component of the Forest Service carrying case and is used in the belt weather case. Closes via the screw cap. (NFES #1157)

Std. pack: 144

8125-00-824-9058 Capacity: 1-1/4 oz. EA \$0.71

Smoke Chaser Compass



Smoke chaser's compass has a clear, flat, plastic base (4 x 2-5/16"), a liquid-filled compass, and a neck cord. Base has a magnifying glass built in. (NFES #1814)

Std. pack: 20

6605-00-553-8795 Size: 4 x 2 x 1/2" EA \$13.96

Magnetic Compass



Ideal for hiking and general forestry, this compass features a clear plastic base plate with black plastic hinged cover and neck cord. Measures 4 x 2-1/2 x 1/2" with the cover closed; cover contains a mirror on the inside. (NFES #0047)

Std. pack: 20

6605-00-171-5121 Size: 3-1/4 x 3 x 5/8" EA \$21.99

BACKFIRING FUSEE

Backfiring Fusee



For starting backfires, this device is simple to use and features positive-ignition action similar to highway flares. Ferrule in base accommodates stick or handle extension. Burns for 10 minutes. Forest Service Spec 5100-360. (NFES #0105)

■ *Std. pack: 1 (72 EA/BX)*

1370-00-294-1279 **MSDS BX**(contains 72 EA) \$73.72

After-hours/
weekend
support:
See page 4 of
this publication.

CHAIN ASSEMBLY

Single-Leg Chain Assembly



Welded steel chain assembly is intended for general service. Includes a direct eye (standard) grab hook at each end.

Rugged-service chain has nominal (trade) size 3/8" links. Chain is 20 feet long and forged from high-test, heat-treated carbon steel. Safe working load is 5,400 lbs. Maximum inside link dimensions: 1-3/16 x 19/32".

(NFES #1856)

■ *Std. pack: 1*

4010-00-171-4427 EA \$26.55

AVIATION EQUIPMENT

Cargo Lead Line



While the user is transporting cargo via helicopter, this lead line can be used to keep load at a fixed distance below. Has a 3,000-lb. capacity. (For use with light- and medium-class helicopters only.) Forest Service Spec 5100-503. (NFES #0528)

■ *Std. pack: 5*

1670-01-029-8554 Length: 12 ft. EA \$55.89

Cargo Swivel



Cargo swivel is for use when freight is transported by helicopter with external cargo hook attachments, swivel permits sling lines to rotate freely. Prevents lines from twisting and breaking. Has a 3,000-lb. capacity. (For use with light- and medium-class helicopters only.) Forest Service Spec 5100-501. (NFES #0526)

■ *Std. pack: 6*

1670-01-029-8555 EA \$139.85

Cargo Net



For the transport and delivery of freight suspended from beneath helicopters. Net is round or square, with a 3,000-lb. capacity. (For use with light- and medium-class helicopters only.) Forest Service Spec 5100-502. (NFES #0531)

■ *Std. pack: 1*

1670-01-029-8556 Diameter: 12-1/2 ft. EA \$234.12

Message Dropper Pouch



This plastic pouch is designed to hold messages dropped from aircraft. Small, clear vinyl bag also holds ballast (sand). Comes with plastic streamer (international orange or yellow), message blanks and instructions. Forest Service Spec 5100-110. (NFES #0284)

■ *Std. pack: 25 or 100.*

1670-00-797-4495 JWOD EA \$5.25

MARKING MATERIAL

Biodegradable Flagging



Non-woven, cotton-based flagging is for use in wildlands where permanent marking is not desired. Material will begin to degrade within six months of

exposure to normal weathering. Width: 1". Packaged 12 rolls per box.

(NFES #0455)

■ *Std. pack: 144*

9905-01-351-2135 Blue RO(contains 33 YD) \$3.54

(NFES #0456)

■ *Std. pack: 144*

9905-01-351-2136 Red RO(contains 33 YD) \$3.54

(NFES #0454)

■ *Std. pack: 144*

9905-01-351-2134 White RO(contains 33 YD) \$3.54

FIRE FORMS

Optional Form



OF 286: Emergency Equipment Use Invoice.
 Consists of a four-part chemical transfer snap-out set.
 (NFES #0863)
 30% Postconsumer Material ■ Std. pack: 10
 7540-01-120-4062 UNICOR Size: 8-1/2 x 11" HD \$12.56

OF 288: Emergency Fire Fighter Time Report.
 Consists of a four-part carbon interleaved snapout set. Serially numbered.
 (NFES #0866)
 30% Postconsumer Material ■ Std. pack: 10
 7540-01-124-7633 UNICOR Size: 8-1/2 x 11" HD \$9.07

OF 294: Emergency Equipment Rental Agreement.
 Consists of a four-part chemical transfer.
 (NFES #0862)
 30% Postconsumer Material ■ Std. pack: 10
 7540-01-121-8825 UNICOR Size: 8-1/2 x 11" HD \$14.12

OF 296: Vehicle/Heavy Equipment Safety Inspection Checklist.
 Consists of a four-part chemical transfer form in a matchbook style book. 50 (four-part) sets per book.
 (NFES #1173)
 30% Postconsumer Material ■ Std. pack: 50
 7540-01-120-0607 UNICOR Size: 8-1/2 x 11" BK(contains 50 SH) \$10.14

OF 297: Emergency Equipment Shift Ticket.
 Consists of a four-part carbonless transfer.
 (NFES #0872)
 30% Postconsumer Material
 7540-01-119-5628 UNICOR Size: 6-1/2 x 4-1/4" BK(contains 25 EA) \$2.34

OF 304: Emergency Equipment Fuel and Oil Issue.
 Consists of a six-part carbonless transfer.
 (NFES #0420)
 30% Postconsumer Material ■ Std. pack: 100
 7540-01-317-7366 UNICOR Size: 6-1/2 x 4-1/4" BK(contains 25 EA) \$3.06

OF 305: Emergency Equipment Rental Use Envelope.
 (NFES #0422)
 30% Postconsumer Material ■ Std. pack: 5
 7540-01-317-7367 UNICOR Light Brown Size: 9-1/2 x 12" HD \$23.76

Standard Form



SF 91: Motor Vehicle Accident Report.
 (NFES #0399)
 30% Postconsumer Material ■ Std. pack: 20
 7540-00-634-4041 UNICOR Size: 8-1/2 x 5-1/2" (folded) HD \$4.38

SF 94: Statement of Witness.
 (NFES #0400)
 30% Postconsumer Material ■ Std. pack: 40
 7540-00-634-4045 UNICOR Size: 8-1/2 x 11" HD \$3.03

SF 95: Claim for Damage, Injury or Death.
 (NFES #0936)
 30% Postconsumer Material ■ Std. pack: 40
 7540-00-634-4046 UNICOR Size: 8-1/2 x 11" HD \$2.59

SF 261: Crew Time Report.
 Consists of a two-part set. Carbonless transfer.
 (NFES #0891)
 30% Postconsumer Material ■ Std. pack: 40
 7540-01-058-0222 UNICOR Size: 4-1/4 x 7-1/2" BK(contains 50 EA) \$1.61

FEDERAL SUPPLY SCHEDULES

Under GSA's Schedules program, contracts are awarded to multiple companies supplying comparable services and products. Schedule contracts are awarded to responsible companies that offer commercial services or products at varying prices, provided that prices are determined fair and reasonable. As a customer, you may order directly from the Schedule contractor.



Multiple Award Schedules (MAS)

Multiple Award Schedules (MAS) are your source for recreational, hospitality, law enforcement, facilities, industrial, and environmental services and products. The following are some of the Schedules available to you.

Schedule 056 – Buildings and Building Materials/Industrial Services and Supplies

Schedule 073 – Food Service, Hospitality, Cleaning Equipment and Supplies, Chemicals and Services

Schedule 078 – Sports, Promotional, Outdoor, Recreational, Trophies and Signs (SPORTS)

Schedule 084 – Total Solutions for Law Enforcement, Security, Facilities Management, Fire, Rescue, Clothing, Marine Craft and Emergency/Disaster Response

Schedule 736 – Temporary Administrative and Professional Staffing (TAPS)

Schedule 873 – Lab Testing and Analysis Services

Schedule 66 II J – Test and Measure Equipment

Schedule 66 II N – Lab Equipment

Schedule 66 II Q – Geophysical, Environmental Analysis Equipment

Note: For information on the above MAS or any other Schedules, visit Schedules e-Library at www.gsa.gov/elibrary or GSA Advantage!® at www.gsaadvantage.gov. These sites are your sources for the latest GSA schedules contract information. They contain basic ordering guidelines, complete Schedule listings, and a powerful search engine that allows you to search by keyword text, Schedule number, special item number (SIN), contractor name and contract number. Schedules e-Library and GSA Advantage!® are updated daily to provide you with the latest award information.



RELAX...Now there is an easier way to manage your GSA billing information...

Introducing... FSS Web Bill!

For all military and civilian customers who purchase supplies and use GSA Forms 952 and 2529

Web Bill:

- Allows you to research and analyze billing information online.
- Simplifies your reconciliation process—you download just what you need into a spreadsheet.
- Generates customized reports on supply purchases and leased vehicles. You name the time period, and Web Bill does the research for you.
- Downloads your agency's financial data into a spreadsheet—Web Bill gives you your billings from GSA Form 2529 or GSA Form 952
- Is easy to use and FREE!

To request information regarding FSS Web Bill, please contact us:

E-mail: FSS.WebBill@gsa.gov

Phone: (816) 926-7037

Fax: (816) 823-1048

Mail: General Services Administration
Heartland Finance Center
6BCDR, Room 2042
1500 East Bannister Road
Kansas City, MO 64131

Register today at finance-kc.gsa.gov/webbill

CUSTOMER SERVICE DIRECTOR PROGRAM

The Customer Service Director (CSD) program is performed by a worldwide network of supply and service specialists. Responsibilities have been divided between headquarters and field levels to assure that issues or problems are addressed at the appropriate level, and that quality customer assistance is as near as a telephone.



Headquarters Level—Customer Assistance

Central Office staff members serve as focal points for strengthening communication between the headquarters of federal agencies and FSS, developing and coordinating customer-oriented programs, and evaluating our effectiveness and responsiveness to customer needs.

Agency headquarters activities are encouraged to contact the Customer Relationship Management Division, Office of Marketing, (703) 605-5646 or DSN 607-1241 (Washington Metropolitan Area) and 327-1241 (outside Washington Metropolitan Area) to obtain assistance with policy issues that are national in scope and problems in support that cannot be resolved at the regional level. Day-to-day operational problems or issues related to a specific geographic area should be directed to the appropriate field-level CSD.

GSA HELP Line

GSA also provides an all-purpose number for customers who have a problem or question concerning any of the supplies or services provided by FSS. Call (800) 525-8027, option 2 (DSN 465-1416) for more information.

This Help Line is handled by the National Customer Service Center (NCSC). The NCSC is here to help by answering your concerns, providing assistance, and, if necessary, referring you to the appropriate FSS “center of expertise” for specific knowledge or unique or special situations. Technicians are available from 7 a.m. to 6:30 p.m. (CST). After hours, messages will be recorded and answered the next business day. You may also contact the NCSC via e-mail at rodsn.ncsc@gsa.gov.


Field Level—Customer Assistance

CSDs visit customers to provide information about GSA services, help in resolving problems, and answer any questions or concerns about GSA support. They provide seminars for either specific or general discussion on any phase of support offered by FSS and make periodic liaison visits to customer installations. To contact your CSD, determine the Regional Manager for your location (see the following page) and contact that office for more specific information.

For specific Wildland Fire Equipment assistance, customers should contact the GSA/FSS Southwest Supply Center Customer Assistance Branch (see page 5 of this catalog or visit www.fss.gsa.gov/fire).

To get more information on the CSD for your area, please find the regional manager nearest your organization:

Region	Name	Phone	Email
1 – 2	Judy Poskanzer	(212) 264-0305	judy.poskanzer@gsa.gov
3	Mike Ruggeri	(215) 446-5055	michael.ruggeri@gsa.gov
4	Kelley Holcombe	(404) 331-0652	kelley.holcombe@gsa.gov
5	Frank Hoeft	(866) 333-4472	frank.hoeft@gsa.gov
6	Timothy Benoit	(816) 926-5548	timothy.benoit@gsa.gov
7 – 8	Charles Little	(817) 978-2892	charles.little@gsa.gov
9	Bill Villarroel	(415) 522-2803	william.villarroel@gsa.gov
10	James Hamilton	(253) 931-7496	james.hamilton@gsa.gov



NATIONAL FIRE CACHE SYSTEM

The Fire Cache System is a series of designated strategic points where supply tools and equipment are assembled in quantities, or standard units, for exclusive use in fire suppression. The fire caches are operated by the U.S. Forest Service and the Bureau of Land Management.

Great Basin Interagency Support Cache

Personnel	Phone/Fax Numbers	E-mail	Location
Rick Blanton	(208) 387-5547 (phone)	rickblanton@nifc.blm.gov	National Interagency Fire Center 3833 S. Development Ave. Boise, ID 83705-5354
Dan Rodwell, Asst. Mgr.	(208) 387-5124 (phone) (208) 387-5573 (fax)		
24-hour number	(208) 387-5104 (phone)		

Northern Rockies Interagency Support Cache

Personnel	Phone/Fax Numbers	E-mail	Location
Patrick Nooney, Mgr.	(406) 329-4932 (phone)	pnooney@fs.fed.us	5765 W. Broadway Missoula, MT 59808
Bonny Resner, Admin. Mgr.	(406) 329-4949 (phone)		
Dave Levesque, Ops. Mgr.	(406) 329-4904 (phone)		
	(406) 329-4962 (fax)		

Rocky Mountain Interagency Support Cache

Personnel	Phone/Fax Numbers	E-mail	Location
John R. Robertson, Mgr.	(303) 202-4943 (phone) (303) 202-4965 (fax)	jrobertson@fs.fed.us	Rocky Mountain Coordination Center P.O. Box 25507 Lakewood, CO 80225
Matt Dean, Asst. Mgr.	(303) 202-4941 (phone) (303) 202-4965 (fax)	mjdean@fs.fed.us	

Southwest Area—Prescott Interagency Support Cache

Personnel	Phone/Fax Numbers	E-mail	Location
Ed Plapp, Mgr.	(928) 777-5630 (phone)	eplapp@fs.fed.us	2400 Melville Dr. Prescott, AZ 86301
Debbie Maxam, Asst. Mgr.	(928) 777-5631 (phone)	dmaxam@fs.fed.us	
Carla Sartwell, Supply Tech.	(928) 777-5632 (phone)		
	(928) 777-5608 (fax)		

Southwest Area—Silver City Interagency Support Cache

Personnel	Phone/Fax Numbers	E-mail	Location
Tom Olson, Mgr.	(505) 538-5611 (phone)	tolson02@fs.fed.us	158 Airport Rd. P.O. Box 931 Hurley, NM 88043
Dottie Clark, Asst. Mgr.	(505) 538-5611 (phone)	dclark03@fs.fed.us	
	(505) 388-5672 (fax)		

California (Southern) Interagency Support Cache

Personnel	Phone/Fax Numbers	E-mail	Location
Dave Estes, Mgr.	(909) 930-3206 (phone)	destes01@fs.fed.us	Logistics Support Center 1310 S. Cucamonga Ave. Ontario, CA 91761-4507
Tom McMahon (Cache Info)	(909) 930-3208 (phone)		
	(909) 947-6391 (fax)		

California (Northern) Interagency Support Cache

Personnel	Phone/Fax Numbers	E-mail	Location
Dave Milbrat, Mgr.	(530) 226-2852 (phone)	dmilbrat@fs.fed.us	6101 Airport Rd. Redding, CA 96002
Jim Mitchell (Cache Info)	(530) 226-2850 (phone)		
	(530) 226-2854 (fax)		

Northwest Area Interagency Support Cache

Personnel	Phone/Fax Numbers	E-mail	Location
Doug Benton, Cache Mgr.	(541) 504-7230 (phone)	dbenton@fs.fed.us	1740 S.E. Ochoco Way Redmond, OR 97756
Eve Ponder, Acting Asst. Mgr.	(541) 504-7235 (phone)	eponder@fs.fed.us	
Karen Mason (Cache Info.)	(541) 504-7234 (phone) (541) 504-7240 (fax)		
<i>Wenatchee Cache — East Washington</i>			
Jim Trowbridge, Acting Asst. Mgr.	(509) 884-6593 (phone) (509) 884-2710 (fax)	jhtrowbridge@fs.fed.us	
<i>LaGrande Cache — East Oregon</i>			
Howard Sievers, Acting Cache Mgr.	(541) 962-8664 (phone) (541) 962-8671 (fax)	hsievers@fs.fed.us	

Alaska Interagency Support Cache

Personnel	Phone/Fax Numbers	E-mail	Location
Matt Cnudde	(907) 356-5735 (phone)	matt_cnudde@ak.blm.gov	P.O. Box 35005 Bldg. 1544 Fort Wainwright, AK 99703
Lyell Chittenden, Warehouse Chief	(907) 356-5742 (phone)	lyell_chittenden@ak.blm.gov	
Joanne Waller (Cache Info)	(907) 356-5739 (phone) (907) 356-5754 (fax)		

Southern Area Interagency Support Cache

Personnel	Phone/Fax Numbers	E-mail	Location
Ken Huff, Mgr.	(606) 878-7430 (phone) (606) 864-9559 (fax)	khuff@fs.fed.us	788 Sublimity School Rd. London, KY 40741

Eastern Area Interagency Support Cache

Personnel	Phone/Fax Numbers	E-mail	Location
Robert Behrner, Mgr.	(218) 327-4578 (phone)	rbehrner@fs.fed.us	402 11th St. S.E. Grand Rapids, MN 55744
Tom Staydohar, Asst. Mgr.	(218) 327-4579 (phone)	tom.staydohar@dnr.state.mn.us	
	(218) 327-4581 (fax)		

REQUISITIONING FROM DLA

Throughout the federal government, there are two principal wholesale supply support activities providing intergovernmental support: the Defense Logistics Agency (DLA) and the General Services Administration (GSA). These two agencies have been working closely to eliminate avoidable overlap and duplication in their supply systems and have agreed to support military and civilian customers.

Requisitions for items managed by DLA should be completed in FEDSTRIP format and forwarded to the appropriate Department of Defense facility. The DLA facility is determined by the routing identifier code. In the event that requisitions are inadvertently sent to GSA, they will be forwarded to the appropriate source of supply.

Discrepancies on DLA shipments should be filed with those agencies. See page 59 for customer service contacts.

Defense Supply Centers

(877) 352-2255(DLA-CALL). This number is the main Call Center for all DLA Centers.

Routing Identifier Code	Defense Supply Center	Phone/Fax Numbers
S9C/S9E	Defense Supply Center, Columbus/DSCC P.O. Box 3990 Columbus, OH 43216-5000	(614) 692-2271 (phone) (614) 692-3191 (phone) (614) 692-1374 (fax)
S9G	Defense Supply Center, Richmond/DSCR 8000 Jefferson Davis Hwy. Richmond, VA 23297-5339	(804) 279-4211 (phone) (804) 279-5277 (fax)
S9I	Defense Supply Center Philadelphia Directorate of General and Industrial 700 Robbins Ave. Philadelphia, PA 19111-5096	(215) 737-2336 (phone) (215) 737-4089 (fax)
S9M	Defense Supply Center, Philadelphia Directorate of Medical Material 700 Robbins Ave. Philadelphia, PA 19111-5096	(215) 737-2111 (phone) (215) 737-8704 (phone) (215) 737-2666 (fax)
S9S	Defense Supply Center, Philadelphia Directorate of Subsistence 700 Robbins Ave. Philadelphia, PA 19111-5096	(215) 737-8653 (phone) (215) 737-2951 (phone) (215) 737-3786 (fax)
S9T	Defense Supply Center, Philadelphia Directorate of Clothing and Textiles 700 Robbins Ave. Philadelphia, PA 19111-5096	(215) 737-9146 (phone) (215) 737-3042 (phone) (215) 737-3281 (fax)

Customer Assistance Representatives

The following DLA Customer Assistance Representatives are available to assist you with resolving problems by answering any questions about DLA support. Their mission is to provide quality customer assistance on a continuing basis.

Location/Representative	Phone Numbers	E-mail
<i>Camp Pendleton, CA</i>		
Barry Haynes	(760) 725-8191	haynesbc@1fssg.usmc.mil
<i>Fort Irwin, CA</i>		
Tonya Jackson	(760) 380-2450	tonya.jackson@irwin.army.mil
<i>San Diego, CA</i>		
Reynaldo Cunanan	(619) 767-7572	cunananrp@navair.navy.mil
Connie Sheldon	(619) 545-4181	sheldonc@navair.navy.mil
<i>Fort Carson, CO</i>		
Judy Campbell	(719) 526-5483	judith.campbell@carson.army.mil
<i>Ogden, UT</i>		
Maryanne Clare	(801) 777-4498	maryanne.clare@hill.af.mil
Steve Crawford	(801) 777-6654	steve.crawford@hill.af.mil
Molly Landrie	(801) 777-0336	molly.landrie@hill.af.mil
<i>Fort Lewis, WA</i>		
Tim Stidhamt	(253) 967-2991	stidhamt@lewis.army.mil

For the names, addresses and telephone numbers of other DLA Customer Assistance Representatives, access the DLA Web site at www.supply.dla.mil and click on "About DLA." From there, click on the Customer Handbook and then on DLA Customer Assistance Representatives. Information is listed by state.

DEFENSE LOGISTICS AGENCY (DLA) ITEMS

NOTE: DLA-managed items are not available from GSA. They are listed in this publication as a courtesy to the customer and must be ordered from the DLA center (RIC) listed for each item. See page 58 of this catalog for ordering information and a list of applicable addresses/telephone numbers. If you need assistance, contact one of their Customer Service Representatives listed on page 59. The following DLA items have been admitted to the NFES.

Miscellaneous Items

NFES	U/I	Name	NSN	RIC	Unit Price
0053	EA	Cot, Folding, 3.5" x 6.5"	7105-00-935-0422	S9I	\$ 53.16
0125	EA	Lantern, Gasoline, Dbl Mantle	6260-01-032-2485	S9I	\$ 62.13
0149	EA	Pump, Barrel, Hand. w/8" Long Hose	4930-00-199-0497	S9I	\$133.51
0210	EA	Spout, Gas, Flexible, 16", Steel	7240-00-177-6154	S9I	\$ 34.07
0238	EA	Apron, Leather, Safety, 42"L X 26"W	8415-00-250-2531	S9T	\$ 31.20
0326	CO	Mantle, Lantern, Gas	6260-00-270-4060	S9I	\$ 1.55
0344	EA	Plug, Spark, CJ8, 147N	2920-00-946-9689	S9C	\$ 0.92
0559	EA	Guard, Light Bulb	6210-00-264-6444	S9I	\$ 7.94
0619	RO	Tape, Electrical, 3/4" x 36 yd.	5970-00-419-4291	S9G	\$ 1.86
0651	QT	Oil, SAE 30 WT.	9150-00-186-6681	S9G	\$ 1.76
0686	CL	Rope, Manila, 3/8", 600" Per Cl.	4020-00-834-0708	S9I	\$ 29.59
0811	EA	Glass, Magnifying	6650-00-252-6250	S9G	\$ 4.87
0814	EA	Stereoscope, Pocket	6675-00-641-3561	S9I	\$149.73
0899	CN	Grease, General Purpose, 1.75 lb.	9150-01-197-7690	S9G	\$ 5.53
1071	EA	Bag, Duffle, Olive Green, 37"H, 12.5" Dia.	8465-01-117-8699	S9T	\$ 18.25
1117	CO	Foot Powder, 45.0 Grams	6505-01-008-3054	S9M	\$ 1.16
1138	EA	Mirror, Emergency Signaling	6350-01-455-6695	S9I	\$ 11.27
1175	EA	Can, Gasoline, Plastic, 5 GL, w/o Spout	7240-01-337-5269	S9I	\$ 24.16
1258	EA	Battery, Lantern, 6V	6135-00-825-6692	S9G	\$ 5.65
1269	EA	Bag, Flight Helmet, Olive Green	8415-00-782-2989	S9T	\$ 13.95
1759	EA	Stakes, Tent, Wood, 24"	8340-00-261-9751	S9T	\$ 1.40

Gloves, Flight, NOMEX

NFES	U/I	Name	NSN	RIC	Unit Price
1219	PR	Size 7	8415-01-029-0109	S9T	\$ 18.40
1223	PR	Size 8	8415-01-029-0111	S9T	\$ 18.40
1224	PR	Size 9	8415-01-029-0112	S9T	\$ 18.40
1225	PR	Size 10	8415-01-029-0113	S9T	\$ 18.40
1226	PR	Size 11	8415-01-029-0116	S9T	\$ 18.40

Coveralls—Flight Suit, NOMEX, Sage Green

NFES	U/I	Name	NSN	RIC	Unit Price
0501	EA	Size 36 Short	8415-01-043-8380	S9T	\$104.85
0507	EA	Size 36 Regular	8415-01-043-8381	S9T	\$104.85
0508	EA	Size 36 Long	8415-01-043-8382	S9T	\$104.85
0509	EA	Size 38 Short	8415-01-043-8383	S9T	\$104.85
0572	EA	Size 38 Regular	8415-01-043-8384	S9T	\$104.85
0514	EA	Size 38 Long	8415-01-043-8385	S9T	\$104.85
0517	EA	Size 40 Short	8415-01-043-8386	S9T	\$104.85
0518	EA	Size 40 Regular	8415-01-043-8387	S9T	\$104.85
0519	EA	Size 40 Long	8415-01-043-8388	S9T	\$104.85
0521	EA	Size 42 Short	8415-01-043-8389	S9T	\$104.85
0574	EA	Size 42 Regular	8415-01-043-9529	S9T	\$104.85
0525	EA	Size 42 Long	8415-01-043-8390	S9T	\$104.85
0527	EA	Size 44 Short	8415-01-043-8391	S9T	\$104.85
0539	EA	Size 44 Regular	8415-01-043-8392	S9T	\$104.85
0545	EA	Size 44 Long	8415-01-043-8393	S9T	\$104.85
0546	EA	Size 46 Short	8415-01-043-8394	S9T	\$104.85
0576	EA	Size 46 Regular	8415-01-043-8395	S9T	\$104.85
0547	EA	Size 46 Long	8415-01-043-8396	S9T	\$104.85
0567	EA	Size 48 Regular	8415-01-043-8397	S9T	\$104.85
0548	EA	Size 48 Long	8415-01-043-8398	S9T	\$104.85

METRIC CONVERSION OVERVIEW

Quick-Reference Conversions

(for approximate metric equivalents)

If You Know	Multiply By	To Find
Inches	2.54	Centimeters
Feet	30.48	Centimeters
Yards	0.91	Meters
Miles	1.6	Kilometers
Pints	0.47	Liters
Quarts	0.95	Liters
Gallons	3.8	Liters
Teaspoons	5	Milliliters
Tablespoons	15	Milliliters
Cups	240	Milliliters
Fluid Ounces	30	Milliliters
Ounce	28	Grams
Pounds	0.45	Kilograms
Tons	0.9	Metric Tons
Acres	0.4	Hectares

Fahrenheit vs. Celsius

Temperature introduces new points of reference using metrics. Comparing degrees Fahrenheit (F) to degrees Celsius (C), you have:

	Fahrenheit	Celsius
Water boils	212	100
Normal body temperature	98.6	37
Room temperature	68	20
Water freezes	32	0

To convert from degrees Fahrenheit (F) to degrees Celsius (C), subtract 32 and then multiply by 5/9 (approx. 0.56).

Example: 75° F converts to 24° C
 $(75-32 = 43, 43 \times 0.56 = 24.08)$

Units of Length

The basic unit of length is the meter (the equivalent of 39.37 inches). The name of each of the other units consists of the word "meter" and a prefix.

A centimeter (cm) is about the width of the nail on your little finger, or a little more than the width of a paper clip. The average female is about 160 cm tall (or 5'4") while the average male is about 170 cm tall (or 5'8"). A nickel is approximately 2 cm in diameter.

A millimeter (mm) is approximately the thickness of a dime, whereas a nickel is about 2 mm thick. One millimeter is about the diameter of a paper clip wire. A credit card is about 0.5 mm thick, while the width of a paper match is about 3 mm.

A kilometer (km) is used to measure broader lengths and distances. The kilometer is about 0.6 miles, therefore 10 kilometers equals about 6 miles. The length of 5 city blocks is about 1 km.

Common Metric Prefixes

Prefix Power of 10 by which basic unit is multiplied.

Kilo 1000.0 (one thousand)	Deci 0.1 (one tenth)
Hecto 100.0 (one hundred)	Cent 0.01 (one hundredth)
Deka 10.0 (ten)	Milli 0.001 (one thousandth)

As the prefix indicates the power of 10, by which the basic unit is multiplied, we know how to construct the metric units of length.

1 kilometer = 1,000.0 meters	1 decimeter = 0.1 meter
1 hectometer = 100.0 meters	1 centimeter = 0.01 meter
1 dekameter = 10.0 meters	1 millimeter = 0.001 meter
1 meter = 1.0 meter	

Since each unit is 10 times the next smaller unit, the set of metric units of length is a decimal system.

Units of Mass

The basic unit for mass is the gram (g). The weight of this small quantity is equivalent to the contents of a package of low-calorie sweetener, or two paper clips. There are about 28 grams in a single ounce.

The milligram (mg) is used to measure very small masses, such as the ingredients in medications. The mass of an aspirin tablet is about 300 mg, while a grain of rice is about 10 mg.

A kilogram (kg) is equal to approximately 2.2 pounds. A metric ton is equal to 1,000 kilograms. The mass of 1 pound of coffee is about 0.5 kg. A half-gallon carton of milk weighs about 1 kg. The average woman weighs about 58 kg (or 128 pounds), while the average man weighs about 70 kg (or 156 pounds).

Units of Volume

Measurement for volume in the metric system is the liter, rather than using pints, quarts or gallons. A liter is a little more than a quart (about 2 ounces more). A gallon of paint is the equivalent of approximately 4 liters. A 2-liter cola bottle holds slightly more than 1/2 gallon.

Volumes smaller than 1 liter are measured in milliliters (ml). There are about 30 milliliters in 1 fluid ounce. A teaspoon holds about 5 ml. A standard soft drink can contains 355 ml. Liquid medications for young children are typically prescribed in milliliters.

NFES INDEX

NFES #	NSN	Name	Page
0006	4210-01-079-9284	Fire Hose Thread Adapter	14
0007	4210-01-079-9283	Fire Hose Thread Adapter	14
0010	4210-00-975-2969	Fire Hose Reducer	15
0018	8105-00-664-3715	Firefighter's Meal Bag	41
0021	8105-01-183-9768	Trash Bag	42
0022	8465-01-119-5562	Sleeping Bag	42
0024	4210-00-640-1892	Fire Hose Nozzle	16
0030	6135-00-985-7845	Alkaline Battery	24
0031	6135-00-643-1310	Carbon-Zinc Battery	24
0033	6135-00-835-7210	Alkaline Battery	24
0037	8465-00-102-6381	Canteen	38
0038	8465-01-062-5854	Canteen	38
0045	8415-00-286-7507	Chainsaw Operator's Chaps	23
0046	4210-00-767-7123	Fire Hose Clamp	18
0047	6605-00-171-5121	Magnetic Compass	49
0048	7310-00-128-6837	Water Jug	39
0054	8465-00-118-4956	Canteen Case	38
0060	5110-00-242-5385	File (American Pattern)	22
0063	5110-00-263-0341	File Handle	22
0067	6545-00-656-1092	First Aid Kit	26
0070	8340-00-102-6370	Tent Fly	43
0073	7360-01-310-5131	Food Container (Disposable)	39
0078	8415-01-028-5575	Chainsaw Operator's Chaps	23
0083	8340-00-753-6574	Tent Pole	43
0089	8340-01-107-5694	Ridge Pole	43
0105	1370-00-294-1279	Backfiring Fusee	50
0109	8415-01-055-2265	Wildland Firefighter's Helmet	31
0113	4210-00-568-9904	Fire Pump Gasoline Line	21

NFES Index

NFES #	NSN	Name	Page
0115	4210-00-889-1775	Rubber Suction Fire Hose	13
0126	7360-00-139-1063	Personal Wash Kit	44
0127	6230-00-500-0523	Lantern	25
0129	7360-00-634-4800	Individual Flatware Set	40
0134	8115-01-381-6529	Fire Equipment Repack Box	47
0135	7360-00-139-0480	Disposable Dinnerware	41
0136	4730-00-595-1103	Fire Hose Nozzle	16
0137	4210-00-181-8872	Fire Hose Nozzle	16
0138	4210-00-085-2291	Fire Hose Nozzle	16
0141	8465-00-128-6928	Collapsible Pail	45
0142	8540-00-530-3770	Toilet Paper	44
0143	8135-00-618-1783	Plastic Wrap	48
0144	8135-00-579-6487	Plastic Wrap	48
0146	5120-00-293-3467	Pulaski Tool	9
0148	4320-01-495-3633	Fire-Fighting Water Pump	20
0150	8415-01-294-7717	Chainsaw Operator's Chaps	23
0151	4320-00-595-0762	Fire-Fighting Hand Pump	19
0167	8465-01-121-8699	Fire Shelter Case	27
0171	5120-00-965-0609	Forest Fire Shovel	10
0199	8465-01-300-1699	Fire Shelter Case Liner	27
0208	8520-01-411-0628	Bar Soap	44
0212	4820-00-126-5114	Foot Valve	17
0218	7240-01-044-5523	Gasoline Can	21
0222	7510-00-582-4772	Strapping Tape	48
0230	4210-01-081-0417	Hoseline Tee with Valved Male Branch	16
0231	4210-00-984-3475	Fire Hose Wye Valve	17
0234	5120-00-596-1426	Spanner Wrench	17
0235	5120-00-596-1427	Spanner Wrench	17

NFES #	NSN	Name	Page
0240	8540-01-169-9010	Paper Towels	44
0254	5330-00-239-1873	Fire Hose Gasket	13
0257	8465-01-067-9999	Pulaski Tool Sheath	11
0259	4210-00-126-5108	Fire Hose Wye Valve	17
0272	4210-01-412-6335	Garden Hose Wye Valve	18
0281	8465-01-463-4649	Tent Bag	35
0284	1670-00-797-4495	Message Dropper Pouch	50
0288	6645-00-268-4042	Alarm Clock	43
0294	8465-01-463-4648	Chest Harness	30
0296	4210-00-203-3512	McLeod Tool	9
0300	4240-01-292-2818	Safety Goggles	32
0305	8115-00-139-0690	Fire Equipment Repack Box	47
0318	4240-01-504-7863	Safety Goggles	32
0337	8115-00-139-0689	Fire Equipment Repack Box	47
0338	8115-00-139-0673	Fire Equipment Repack Box	47
0343	5110-01-046-5031	Chainsaw File Guide	22
0345	5110-00-965-0608	File (American Pattern)	22
0351	5110-00-242-5384	File (American Pattern)	22
0352	5110-00-293-2339	Single-Bit Ax	9
0353	8115-00-139-0706	Fire Equipment Repack Box	47
0358	5110-00-263-0342	File Handle	22
0359	8465-00-293-3369	Leather Ax Sheath	11
0384	8115-01-307-2951	Fire Equipment Repack Box	47
0395	7510-00-079-7906	Packaging Tape	48
0396	7510-00-079-7905	Packaging Tape	48
0399	7540-00-634-4041	Standard Form	51
0400	7540-00-634-4045	Standard Form	51
0416	4210-01-080-6532	Fire Hose Increaser	15

NFES Index

NFES #	NSN	Name	Page
0418	4210-00-294-2648	Fire Hose Reducer	15
0420	7540-01-317-7366	Optional Form	51
0422	7540-01-317-7367	Optional Form	51
0428	4730-01-057-0136	Quick-Connect Hose Fitting	20
0429	4730-01-057-4210	Quick-Connect Hose Fitting	20
0432	5120-00-278-7590	Tool Handle Wedge	12
0433	5120-00-293-3451	Tool Handle Wedge	12
0435	8465-01-369-3557	Drinking Water Bag	39
0436	8465-01-369-2147	Drinking Water Bag Liner	39
0437	8465-01-369-2148	Suppression Water Bag	39
0438	8465-01-369-2149	Suppression Water Bag Liner	39
0441	7210-00-205-2804	Blanket	43
0454	9905-01-351-2134	Biodegradable Flagging	50
0455	9905-01-351-2135	Biodegradable Flagging	50
0456	9905-01-351-2136	Biodegradable Flagging	50
0464	7350-01-263-6700	Paper Tableware	40
0465	7350-00-988-6498	Paper Tableware	40
0474	4240-01-292-2817	Safety Glasses	32
0475	4240-01-292-2816	Safety Glasses	32
0476	4240-01-292-5055	Safety Glasses	32
0487	7240-00-246-1097	Utility Pail	45
0495	8465-01-416-1951	Backpack Pump Shoulder Straps	19
0497	7340-00-170-8374	Plastic Flatware	40
0500	8115-00-139-0652	Fire Equipment Repack Box	47
0510	5210-01-324-2776	Sharpening Gauge	10
0511	8415-01-434-0618	Wildland Firefighter's Shirt	33
0512	8415-01-434-0626	Wildland Firefighter's Shirt	33
0513	8115-01-290-9543	Fire Equipment Repack Box	47

NFES #	NSN	Name	Page
0522	8415-01-211-6316	Wildland Firefighter's Shirt	33
0526	1670-01-029-8555	Cargo Swivel	50
0528	1670-01-029-8554	Cargo Lead Line	50
0531	1670-01-029-8556	Cargo Net	50
0533	4020-00-240-2146	Cord	46
0536	8465-01-503-4476	Fuel Bottle Bag	45
0564	7240-00-527-9868	Funnel	21
0569	8415-01-421-3905	Wildland Firefighter's Shirt	33
0570	8415-01-421-3907	Wildland Firefighter's Shirt	33
0577	8415-00-233-5818	Wildland Firefighter's Shirt	33
0578	8415-00-233-5819	Wildland Firefighter's Shirt	33
0579	8415-00-259-8718	Wildland Firefighter's Shirt	33
0580	8415-00-259-8722	Wildland Firefighter's Shirt	33
0590	8465-01-274-9910	Field Pack Belt Pack	36
0597	8465-01-321-1679	Backpack Pump Liner	19
0601	4320-00-890-5879	Fire-Fighting Water Pump	20
0635	4210-00-204-3358	Fire Hose Nozzle Tip	16
0636	4210-00-204-3386	Fire Hose Nozzle Tip	16
0637	4210-00-203-3855	Fire Hose Nozzle Tip	16
0638	4210-00-203-3845	Fire Hose Nozzle Tip	16
0640	6515-01-376-7247	Bodily Fluids Barrier Kit	26
0643	8115-00-139-0749	Fire Equipment Repack Box	47
0644	8115-00-139-0691	Fire Equipment Repack Box	47
0645	8115-01-504-1463	Fire Equipment Repack Box	47
0659	4210-01-387-1392	Collapsible Fire-Fighting Rake	9
0667	6230-01-493-7630	Firefighter's Headlamp	25
0674	8465-01-503-4484	Fireline Pack (Complete)	37
0675	8465-01-503-4479	Fireline Pack Canteen Case	37

NFES Index

NFES #	NSN	Name	Page
0677	8465-01-503-4482	Fireline Pack Carrying Case (Stuff Sack)	37
0678	8465-01-503-4488	Main Fireline Pack	37
0700	6850-01-144-9871	Fuel-Purging Fluid	23
0705	6840-01-003-9589	Insect Repellent	25
0710	4210-01-080-1457	Fire Hose Double Female Adapter	14
0713	6230-01-387-1399	Firefighter's Headlamp	25
0720	4210-01-412-5688	Fire Hose Water Applicator	18
0722	8415-01-504-9042	Wildland Firefighter's Helmet	31
0723	8415-01-504-9044	Wildland Firefighter's Helmet	31
0724	8415-01-504-9045	Wildland Firefighter's Helmet	31
0731	4210-01-080-1460	Hoseline Tee with Capped Male Branch	15
0732	4210-01-082-0575	Fire Hose Cap with Chain	14
0733	4210-01-079-9286	Fire Hose Reducer	15
0735	4210-01-412-5683	Fire Hose Nozzle	18
0737	4210-00-177-6135	Fire Hose Nozzle Tip	16
0738	4210-01-412-5684	Garden Hose Shut-Off Valve	18
0742	5330-00-239-1875	Fire Hose Gasket	13
0743	5330-00-720-2621	Fire Hose Gasket	13
0744	8465-00-205-3493	Packsack	35
0772	4210-01-321-4206	Mop-Up Kit	18
0827	7330-00-819-7738	Vacuum Jug	41
0834	6135-00-985-7846	Alkaline Battery	24
0856	4210-01-079-9285	Fire Hose Double Male Adapter	14
0857	4210-01-081-8749	Fire Hose Double Female Adapter	14
0862	7540-01-121-8825	Optional Form	51
0863	7540-01-120-4062	Optional Form	51
0866	7540-01-124-7633	Optional Form	51
0872	7540-01-119-5628	Optional Form	51

NFES #	NSN	Name	Page
0891	7540-01-058-0222	Standard Form	51
0911	8465-01-310-5130	Water Bag Liner	38
0912	8465-01-310-1259	Water Bag	38
0916	4210-01-080-1458	Fire Hose Double Male Adapter	14
0921	8415-01-504-9047	Wildland Firefighter's Helmet	31
0922	8415-01-504-9048	Wildland Firefighter's Helmet	31
0923	8415-01-504-9050	Wildland Firefighter's Helmet	31
0925	4240-01-498-3194	Fire Shelter, Complete (M-2002)	27
0926	4240-01-498-3184	Fire Shelter, Single (M-2002)	28
0927	8465-01-498-3190	Fire Shelter Carrying Case (M-2002)	28
0928	8465-01-498-3191	Fire Shelter Carrying Case Liner (M-2002)	28
0935	7360-00-660-0526	Dining Packet	41
0936	7540-00-634-4046	Standard Form	51
0943	7330-01-449-2319	Water Cooler	41
0966	4210-00-777-1591	Synthetic-Cotton Fire Hose	12
0967	4210-00-777-1592	Synthetic-Cotton Fire Hose	12
1016	4210-01-167-1061	Synthetic Garden Hose	13
1027	6515-00-137-6345	Ear Plugs	32
1038	7210-01-029-0370	Bath Towel (Disposable)	44
1050	6660-01-024-2638	Weather Observation Kit	49
1059	5110-00-242-5386	File (American Pattern)	22
1062	8465-00-081-0798	Firefighter's Sleeping Bag	42
1063	8465-00-082-3054	Canteen	38
1081	4210-01-165-6603	Fire Hose Nozzle	16
1082	4210-01-167-1123	Fire Hose Nozzle	16
1143	6545-01-010-7754	First Aid Kit	26
1149	4320-00-289-8912	Backpack Pump Outfit	19
1154	8465-00-521-3057	Weather Kit Case	49

NFES Index

NFES #	NSN	Name	Page
1155	6680-00-833-7010	Wind Speed Indicator	49
1156	6685-00-826-1662	Psychrometer	49
1157	8125-00-824-9058	Screw-Cap Bottle	49
1168	5120-01-296-3592	Tool Handle	12
1173	7540-01-120-0607	Optional Form	51
1180	5120-01-240-2120	Fire Line Combination Tool	9
1197	8465-01-321-1678	Backpack Pump Bag	19
1201	4210-01-165-6599	Shut-Off Valve	17
1207	4210-01-165-6600	Shut-Off Valve	17
1220	4210-00-595-1838	High-Pressure Fire Hose	13
1233	6135-00-643-1307	Carbon-Zinc Battery	24
1238	4210-01-166-8122	Synthetic-Lined Fire Hose	12
1239	4210-01-165-6597	Synthetic-Lined Fire Hose	12
1243	6510-01-045-3506	Insect Bite Swab	25
1274	8415-01-483-6075	Wildland Firefighter's Face-and-Neck Shroud	30
1293	8415-01-394-0208	Firefighter's Work Gloves	32
1294	8415-01-394-0209	Firefighter's Work Gloves	32
1295	8415-01-394-0210	Firefighter's Work Gloves	32
1296	8415-01-394-0215	Firefighter's Work Gloves	32
1297	8415-01-397-3937	Firefighter's Work Gloves	32
1372	8465-01-169-3996	Complete Field Pack	36
1521	8340-01-185-5512	Tent Fly	43
1526	8460-01-193-9769	Briefcase	37
1529	8465-01-175-7170	Field Pack Canteen Case	36
1530	8465-01-175-7169	Field Pack Belt	36
1535	7240-01-351-2133	Fuel Bottle	45
1557	8465-01-194-7019	Field Pack Harness	36
1559	8465-01-193-9781	Field Pack Main Pack	36

NFES #	NSN	Name	Page
1566	8465-01-223-8421	Sleeping Bag Pad	42
1580	8115-01-219-5749	Fire Equipment Repack Box	47
1604	6545-00-656-1094	First Aid Kit	26
1801	4020-00-068-7906	Rope	46
1802	4020-00-068-7907	Rope	46
1807	4210-00-540-4512	Forest Fire Rake and Cutting Tool	10
1808	4210-00-889-1774	Rubber Suction Fire Hose	13
1809	4210-01-081-0418	Hoseline Tee with Capped Male Branch	15
1812	5110-00-293-3380	Ax Handle	12
1814	6605-00-553-8795	Smoke Chaser Compass	49
1828	5345-00-558-5928	Abrasive Disk	10
1842	8970-00-149-1094	Food Rations	42
1853	8465-01-136-4719	Shovel Tool Sheath	11
1854	8465-01-136-4718	McLeod Tool Sheath	11
1855	8465-01-141-2321	Personal Gear Pack	35
1856	4010-00-171-4427	Single-Leg Chain Assembly	50
1857	5110-01-137-7507	Tool Handle	12
1938	5340-00-901-8105	Boxcar Seal	48
2006	8115-00-139-0722	Fire Equipment Repack Box	47
2007	8115-00-292-0123	Fire Equipment Repack Box	47
2030	8115-00-183-9481	Fire Equipment Repack Box	47
2058	8115-00-145-0038	Plastic Storage Container	39
2078	8415-01-285-3530	Wildland Firefighter's Shirt	33
2079	8415-01-284-7500	Wildland Firefighter's Shirt	33
2105	5110-00-782-7491	File (American Pattern)	22
2139	7520-00-579-9053	Packaging Tape Dispenser	48
2210	4210-01-081-8751	Fire Hose Cap with Chain	14
2229	4210-01-081-0419	Fire Hose Reducer	15

NFES Index

NFES #	NSN	Name	Page
2230	4210-01-508-8818	Fire Hose Reducer	15
2235	4210-01-080-6531	Fire Hose Increaser	15
2240	4210-01-080-1459	Hoseline Tee with Capped Male Branch	15
2326	5330-00-239-1877	Fire Hose Gasket	13
2407	6930-01-387-8543	Training Fire Shelter System	29
2408	6930-01-387-8487	Training Fire Shelter	29
2409	6930-01-387-8541	Training Fire Shelter Bag	30
2410	6930-01-387-8533	Training Fire Shelter Case	30
2589	4320-00-892-5391	Backpack Pump Straps	20
2678	6930-01-499-0605	Training/Practice Fire Shelter, Complete (M-2002)	28
2679	6930-01-499-0608	Training/Practice Fire Shelter (M-2002)	29
2680	6930-01-499-0614	Training/Practice Fire Shelter Carrying Case (M-2002)	29
2681	6930-01-499-0618	Training/Practice Fire Shelter Bag, Polyvinyl (M-2002)	29
2700	8415-01-464-4242	Wildland Firefighter's Pants	34
2701	8415-01-464-4247	Wildland Firefighter's Pants	34
2702	8415-01-464-4244	Wildland Firefighter's Pants	34
2703	8415-01-464-4248	Wildland Firefighter's Pants	34
2704	8415-01-464-5742	Wildland Firefighter's Pants	34
2705	8415-01-464-5621	Wildland Firefighter's Pants	34
2706	8415-01-464-5624	Wildland Firefighter's Pants	34
2707	8415-01-464-5645	Wildland Firefighter's Pants	34
2725	5510-01-045-9198	Plastic Forestry Wedge	23
2800	8415-01-464-2282	Wildland Firefighter's Pants	34
2801	8415-01-464-3672	Wildland Firefighter's Pants	34
2802	8415-01-464-3671	Wildland Firefighter's Pants	34
2803	8415-01-464-3676	Wildland Firefighter's Pants	34
2804	8415-01-464-3677	Wildland Firefighter's Pants	34
2805	8415-01-464-3678	Wildland Firefighter's Pants	34
2806	8415-01-464-3673	Wildland Firefighter's Pants	34
2807	8415-01-464-3675	Wildland Firefighter's Pants	34

A

Abrasive Disk..... 10
 Adapter, Double Female (Fire Hose) 14
 Adapter, Double Male (Fire Hose)..... 14
 Adapter, Thread (Fire Hose)..... 14
 Alarm Clock 43
 Alkaline Battery 24
 American Pattern File..... 22
 Applicator, Water (Fire Hose)..... 18
 Ax Handle 12
 Ax Sheath, Leather..... 11
 Ax, Single-Bit..... 9

B

Backfiring Fusee 50
 Backpack Pump Bag 19
 Backpack Pump Liner 19
 Backpack Pump Outfit 19
 Backpack Pump Shoulder Straps 19
 Backpack Pump Straps 20
 Bag, Backpack Pump 19
 Bag, Drinking Water 39
 Bag, Fire Shelter, Polyvinyl (Training/Practice, M-2002)..... 29
 Bag, Fire Shelter (Training)..... 30
 Bag, Fuel Bottle 45
 Bag Liner, Drinking Water 39
 Bag Liner, Water 38
 Bag, Meal (Firefighter's)..... 41
 Bag, Sleeping 42
 Bag, Sleeping (Firefighter's) 42
 Bag, Tent 35
 Bag, Trash 42
 Bag, Water..... 38
 Bag, Water (Suppression)..... 39
 Bar Soap..... 44
 Barrier Kit, Bodily Fluids..... 26
 Bath Towel (Disposable) 44
 Battery, Alkaline 24
 Battery, Carbon-Zinc 24
 Belt, Field Pack..... 36
 Belt Pack, Field Pack..... 36
 Biodegradable Flagging 50
 Blanket..... 43
 Bodily Fluids Barrier Kit..... 26
 Bottle, Fuel 45
 Bottle, Screw-Cap 49
 Box, Repack (Fire Equipment) 47
 Boxcar Seal..... 48
 Briefcase..... 37

C

Can, Gasoline 21
 Canteen..... 38
 Canteen Case..... 38
 Canteen Case, Field Pack..... 36
 Canteen Case, Fireline Pack..... 37

Cap with Chain, Fire Hose 14
 Carbon-Zinc Battery 24
 Cargo Lead Line..... 50
 Cargo Net..... 50
 Cargo Swivel..... 50
 Carrying Case, Fire Shelter (M-2002) 28
 Carrying Case, Fire Shelter (Training/Practice, M-2002) 29
 Carrying Case, Fireline Pack (Stuff Sack) 37
 Carrying Case Liner, Fire Shelter (M-2002)..... 28
 Case, Canteen..... 38
 Case, Canteen (Field Pack) 36
 Case, Canteen (Fireline Pack) 37
 Case, Carrying (Fire Shelter, M-2002) 28
 Case, Carrying (Fire Shelter, Training/Practice, M-2002) 29
 Case, Carrying (Fireline Pack/Stuff Sack) 37
 Case, Fire Shelter 27
 Case, Fire Shelter (Training)..... 30
 Case Liner (Fire Shelter) 27
 Case, Training Fire Shelter 30
 Case, Weather Kit 49
 Chain Assembly, Single-Leg 50
 Chainsaw File Guide 22
 Chainsaw Operator's Chaps 23
 Chaps, Chainsaw Operator's 23
 Chest Harness 30
 Clamp, Fire Hose 18
 Clock, Alarm 43
 Collapsible Fire-Fighting Rake 9
 Collapsible Pail 45
 Combination Tool, Fire Line 9
 Compass, Magnetic 49
 Compass, Smoke Chaser 49
 Complete Field Pack 36
 Complete Fire Shelter (M-2002)..... 27
 Complete Fire Shelter (Training/Practice, M-2002)..... 28
 Container, Food (Disposable) 39
 Container, Storage (Plastic)..... 39
 Cooler, Water 41
 Cord..... 46
 Cutting Tool and Rake, Forest Fire 10

D

Dining Packet 41
 Dinnerware, Disposable..... 41
 Disk, Abrasive 10
 Dispenser, Packaging Tape..... 48
 Disposable Bath Towel..... 44
 Disposable Dinnerware..... 41
 Disposable Food Container 39
 Double Female Adapter, Fire Hose..... 14
 Double Male Adapter, Fire Hose 14
 Drinking Water Bag..... 39
 Drinking Water Bag Liner 39
 Dropper Pouch, Message..... 50

E

Ear Plugs 32

Alphabetical Index

F	
Face-and-Neck Shroud, Wildland Firefighter's	30
Field Pack Belt	36
Field Pack Belt Pack	36
Field Pack Canteen Case	36
Field Pack, Complete	36
Field Pack Harness	36
Field Pack Main Pack	36
File (American Pattern)	22
File Guide, Chainsaw	22
File Handle	22
Fire Equipment Repack Box	47
Fire Hose Cap with Chain	14
Fire Hose Clamp	18
Fire Hose Double Female Adapter	14
Fire Hose Double Male Adapter	14
Fire Hose Gasket	13
Fire Hose, High-Pressure	13
Fire Hose Increaser	15
Fire Hose Nozzle	16, 18
Fire Hose Nozzle Tip	16
Fire Hose Reducer	15
Fire Hose, Rubber Suction	13
Fire Hose, Synthetic-Cotton	12
Fire Hose, Synthetic-Lined	12
Fire Hose Thread Adapter	14
Fire Hose Water Applicator	18
Fire Hose Wye Valve	17
Fire Line Combination Tool	9
Fire Pump Gasoline Line	21
Fire Shelter Bag, Polyvinyl (Training/Practice, M-2002)	29
Fire Shelter Bag, Training	30
Fire Shelter Carrying Case Liner (M-2002)	28
Fire Shelter Carrying Case (M-2002)	28
Fire Shelter Case	27
Fire Shelter Case Liner	27
Fire Shelter Case (Training)	30
Fire Shelter, Complete (M-2002)	27
Fire Shelter, Single (M-2002)	28
Fire Shelter System, Training	29
Fire Shelter, Training	29
Fire Shelter, Training/Practice, Complete (M-2002)	28
Fire Shelter, Training/Practice (M-2002)	29
Firefighter's Face-and-Neck Shroud, Wildland	30
Firefighter's Headlamp	25
Firefighter's Helmet, Wildland	31
Firefighter's Meal Bag	41
Firefighter's Pants, Wildland	34
Firefighter's Shirt, Wildland	33
Firefighter's Sleeping Bag	42
Firefighter's Work Gloves	32
Fire-Fighting Hand Pump	19
Fire-Fighting Rake, Collapsible	9
Fire-Fighting Water Pump	20
Fireline Pack Canteen Case	37
Fireline Pack Carrying Case (Stuff Sack)	37
Fireline Pack (Complete)	37
Fireline Pack, Main	37
First Aid Kit	26
Flagging, Biodegradable	50
Flatware, Plastic	40
Flatware Set, Individual	40
Fluid, Fuel-Purging	23
Fly, Tent	43
Food Container (Disposable)	39
Food Rations	42
Foot Valve	17
Forest Fire Rake and Cutting Tool	10
Forest Fire Shovel	10
Forestry Wedge, Plastic	23
Form, Optional	51
Form, Standard	51
Fuel Bottle	45
Fuel Bottle Bag	45
Fuel-Purging Fluid	23
Funnel	21
Fusee, Backfiring	50
G	
Garden Hose Shut-Off Valve	18
Garden Hose, Synthetic	13
Garden Hose Wye Valve	18
Gasket, Fire Hose	13
Gasoline Can	21
Gasoline Line, Fire Pump	21
Gauge, Sharpening	10
Gear Pack, Personal	35
Glasses, Safety	32
Gloves, Work (Firefighter's)	32
Goggles, Safety	32
Guide, Chainsaw File	22
H	
Hand Pump, Fire-Fighting	19
Handle, Ax	12
Handle, File	22
Handle, Tool	12
Handle Wedge, Tool	12
Harness, Chest	30
Harness, Field Pack	36
Headlamp, Firefighter's	25
Helmet, Wildland Firefighter's	31
High-Pressure Fire Hose	13
Hose, Fire (High-Pressure)	13
Hose, Fire (Rubber Suction)	13
Hose, Fire (Synthetic-Cotton)	12
Hose, Fire (Synthetic-Lined)	12
Hose Fitting, Quick-Connect	20
Hose, Garden (Synthetic)	13
Hose Gasket, Fire	13
Hoseline Tee with Capped Male Branch	15
Hoseline Tee with Valved Male Branch	16

I	
Increaser, Fire Hose.....	15
Indicator, Wind Speed.....	49
Individual Flatware Set.....	40
Insect Bite Swab.....	25
Insect Repellent.....	25
J	
Jug, Vacuum.....	41
Jug, Water.....	39
K	
Kit, Bodily Fluids Barrier.....	26
Kit, First Aid.....	26
Kit, Mop-Up.....	18
Kit, Wash (Personal).....	44
Kit, Weather Observation.....	49
L	
Lantern.....	25
Lead Line, Cargo.....	50
Leather Ax Sheath.....	11
Line, Gasoline (Fire Pump).....	21
Line, Lead (Cargo).....	50
Liner, Backpack Pump.....	19
Liner, Bag (Drinking Water).....	39
Liner, Carrying Case (Fire Shelter/M-2002).....	28
Liner, Case (Fire Shelter).....	27
Liner, Suppression Water Bag.....	39
Liner, Water Bag.....	38
M	
Magnetic Compass.....	49
Main Fireline Pack.....	37
Main Pack, Field Pack.....	36
McLeod Tool.....	9
McLeod Tool Sheath.....	11
Meal Bag, Firefighter's.....	41
Message Dropper Pouch.....	50
Mop-Up Kit.....	18
N	
Net, Cargo.....	50
Nozzle, Fire Hose.....	16, 18
Nozzle Tip, Fire Hose.....	16
O	
Observation Kit, Weather.....	49
Optional Form.....	51
P	
Pack Belt (Field Pack).....	36
Pack, Field (Complete).....	36
Pack, Field Pack (Main).....	36
Pack, Fireline (Complete).....	37
Pack, Fireline (Main).....	37
Pack, Gear (Personal).....	35
Packaging Tape.....	48
Packaging Tape Dispenser.....	48
Packsack.....	35
Pad, Sleeping Bag.....	42
Pail, Collapsible.....	45
Pail, Utility.....	45
Pants, Wildland Firefighter's.....	34
Paper Tableware.....	40
Paper, Toilet.....	44
Paper Towels.....	44
Personal Gear Pack.....	35
Personal Wash Kit.....	44
Plastic Flatware.....	40
Plastic Forestry Wedge.....	23
Plastic Storage Container.....	39
Plastic Wrap.....	48
Plugs, Ear.....	32
Pole, Ridge.....	43
Pole, Tent.....	43
Pouch, Message Dropper.....	50
Psychrometer.....	49
Pulaski Tool.....	9
Pulaski Tool Sheath.....	11
Pump Bag, Backpack.....	19
Pump, Fire (Gasoline Line).....	21
Pump, Hand (Fire-Fighting).....	19
Pump Liner, Backpack.....	19
Pump Outfit, Backpack.....	19
Pump, Water (Fire-Fighting).....	20
Q	
Quick-Connect Hose Fitting.....	20
R	
Rake and Cutting Tool, Forest Fire.....	10
Rake, Fire-Fighting (Collapsible).....	9
Rations, Food.....	42
Reducer, Fire Hose.....	15
Repack Box, Fire Equipment.....	47
Repellent, Insect.....	25
Ridge Pole.....	43
Rope.....	46
Rubber Suction Fire Hose.....	13
S	
Safety Glasses.....	32
Safety Goggles.....	32
Screw-Cap Bottle.....	49
Seal, Boxcar.....	48
Sharpening Gauge.....	10
Sheath, Ax (Leather).....	11
Sheath, McLeod Tool.....	11
Sheath, Pulaski Tool.....	11

Alphabetical Index

Sheath, Shovel Tool	11	Tool, McLeod	9
Sheath, Tool (McLeod).....	11	Tool, Pulaski	9
Sheath, Tool (Pulaski).....	11	Tool Sheath, McLeod	11
Shelter Bag, Fire (Training)	30	Tool Sheath, Pulaski	11
Shelter Case (Fire).....	27	Tool Sheath, Shovel	11
Shelter Case, Fire (Training).....	30	Towel, Bath (Disposable).....	44
Shelter, Fire (Training)	29	Towels, Paper	44
Shelter System, Fire (Training).....	29	Training Fire Shelter	29
Shirt, Wildland Firefighter's.....	33	Training Fire Shelter Bag.....	30
Shoulder Straps, Backpack Pump.....	19	Training Fire Shelter Case	30
Shovel, Forest Fire.....	10	Training Fire Shelter System.....	29
Shovel Tool Sheath	11	Training/Practice Fire Shelter Bag, Polyvinyl (M-2002)	29
Shroud, Face-and-Neck (Wildland Firefighter's).....	30	Training/Practice Fire Shelter Carrying Case (M-2002)	29
Shut-Off Valve	17	Training/Practice Fire Shelter, Complete (M-2002)	28
Shut-Off Valve, Garden Hose.....	18	Training/Practice Fire Shelter (M-2002)	29
Single Fire Shelter (M-2002)	28	Trash Bag	42
Single-Bit Ax.....	9		
Single-Leg Chain Assembly.....	50	U	
Sleeping Bag	42	Utility Pail	45
Sleeping Bag, Firefighter's.....	42		
Sleeping Bag Pad.....	42	V	
Smoke Chaser Compass	49	Vacuum Jug	41
Soap (Bar).....	44	Valve, Foot	17
Spanner Wrench.....	17	Valve, Shut-Off.....	17
Standard Form.....	51	Valve, Shut-Off (Garden Hose).....	18
Storage Container, Plastic	39	Valve, Wye (Fire Hose).....	17
Strapping Tape	48	Valve, Wye (Garden Hose)	18
Straps, Backpack Pump	20		
Straps, Shoulder (Backpack Pump)	19	W	
Stuff Sack (Fireline Pack Carrying Case)	37	Wash Kit, Personal.....	44
Suppression Water Bag	39	Water Applicator, Fire Hose.....	18
Suppression Water Bag Liner.....	39	Water Bag	38
Swab, Insect Bite	25	Water Bag, Drinking.....	39
Swivel, Cargo.....	50	Water Bag Liner.....	38, 39
Synthetic Garden Hose	13	Water Bag Liner, Drinking.....	39
Synthetic-Cotton Fire Hose.....	12	Water Bag, Suppression	39
Synthetic-Lined Fire Hose	12	Water Cooler.....	41
System, Fire Shelter (Training).....	29	Water Jug	39
		Water Pump, Fire-Fighting	20
T		Weather Kit Case.....	49
Tableware, Paper	40	Weather Observation Kit	49
Tape Dispenser (Packaging).....	48	Wedge, Forestry (Plastic)	23
Tape, Packaging	48	Wedge, Tool Handle.....	12
Tape, Strapping	48	Wildland Firefighter's Face-and-Neck Shroud.....	30
Tee, Hoseline (with Capped Male Branch).....	15	Wildland Firefighter's Helmet	31
Tee, Hoseline (with Valved Male Branch)	16	Wildland Firefighter's Pants	34
Tent Bag.....	35	Wildland Firefighter's Shirt	33
Tent Fly.....	43	Wind Speed Indicator	49
Tent Pole	43	Work Gloves, Firefighter's	32
Tip, Nozzle (Fire Hose)	16	Wrap, Plastic.....	48
Thread Adapter, Fire Hose	14	Wrench, Spanner.....	17
Toilet Paper	44	Wye Valve, Fire Hose	17
Tool, Fire Line Combination.....	9	Wye Valve, Garden Hose.....	18
Tool Handle	12		
Tool Handle Wedge.....	12		

Class 1370

1370-00-294-1279..... (0105) 50

Class 1670

1670-00-797-4495..... (0284) 50

1670-01-029-8554..... (0528) 50

1670-01-029-8555..... (0526) 50

1670-01-029-8556..... (0531) 50

Class 4010

4010-00-171-4427..... (1856) 50

Class 4020

4020-00-068-7906..... (1801) 46

4020-00-068-7907..... (1802) 46

4020-00-240-2146..... (0533) 46

Class 4210

4210-00-085-2291..... (0138) 16

4210-00-126-5108..... (0259) 17

4210-00-177-6135..... (0737) 16

4210-00-181-8872..... (0137) 16

4210-00-203-3512..... (0296) 9

4210-00-203-3845..... (0638) 16

4210-00-203-3855..... (0637) 16

4210-00-204-3358..... (0635) 16

4210-00-204-3386..... (0636) 16

4210-00-294-2648..... (0418) 15

4210-00-540-4512..... (1807) 10

4210-00-568-9904..... (0113) 21

4210-00-595-1838..... (1220) 13

4210-00-640-1892..... (0024) 16

4210-00-767-7123..... (0046) 18

4210-00-777-1591..... (0966) 12

4210-00-777-1592..... (0967) 12

4210-00-889-1774..... (1808) 13

4210-00-889-1775..... (0115) 13

4210-00-975-2969..... (0010) 15

4210-00-984-3475..... (0231) 17

4210-01-079-9283..... (0007) 14

4210-01-079-9284..... (0006) 14

4210-01-079-9285..... (0856) 14

4210-01-079-9286..... (0733) 15

4210-01-080-1457..... (0710) 14

4210-01-080-1458..... (0916) 14

4210-01-080-1459..... (2240) 15

4210-01-080-1460..... (0731) 15

4210-01-080-6531..... (2235) 15

4210-01-080-6532..... (0416) 15

4210-01-081-0417..... (0230) 16

4210-01-081-0418..... (1809) 15

4210-01-081-0419..... (2229) 15

4210-01-081-8749..... (0857) 14

4210-01-081-8751..... (2210) 14

4210-01-082-0575..... (0732) 14

4210-01-165-6597..... (1239) 12

4210-01-165-6599..... (1201) 17

4210-01-165-6600..... (1207) 17

4210-01-165-6603..... (1081) 16

4210-01-166-8122..... (1238) 12

4210-01-167-1061..... (1016) 13

4210-01-167-1123..... (1082) 16

4210-01-321-4206..... (0772) 18

4210-01-387-1392..... (0659) 9

4210-01-412-5683..... (0735) 18

4210-01-412-5684..... (0738) 18

4210-01-412-5688..... (0720) 18

4210-01-412-6335..... (0272) 18

4210-01-508-8818..... (2230) 15

Class 4240

4240-01-292-2816..... (0475) 32

4240-01-292-2817..... (0474) 32

4240-01-292-2818..... (0300) 32

4240-01-292-5055..... (0476) 32

4240-01-498-3184..... (0926) 28

4240-01-498-3194..... (0925) 27

4240-01-504-7863..... (0318) 32

Class 4320

4320-00-289-8912..... (1149) 19

4320-00-595-0762..... (0151) 19

4320-00-890-5879..... (0601) 20

4320-00-892-5391..... (2589) 20

4320-01-495-3633..... (0148) 20

Class 4730

4730-00-595-1103..... (0136) 16

4730-01-057-0136..... (0428) 20

4730-01-057-4210..... (0429) 20

Class 4820

4820-00-126-5114..... (0212) 17

NSN Index

Class 5110

5110-00-242-5384	(0351)	22
5110-00-242-5385	(0060)	22
5110-00-242-5386	(1059)	22
5110-00-263-0341	(0063)	22
5110-00-263-0342	(0358)	22
5110-00-293-2339	(0352)	9
5110-00-293-3380	(1812)	12
5110-00-782-7491	(2105)	22
5110-00-965-0608	(0345)	22
5110-01-046-5031	(0343)	22
5110-01-137-7507	(1857)	12

Class 5120

5120-00-278-7590	(0432)	12
5120-00-293-3451	(0433)	12
5120-00-293-3467	(0146)	9
5120-00-596-1426	(0234)	17
5120-00-596-1427	(0235)	17
5120-00-965-0609	(0171)	10
5120-01-240-2120	(1180)	9
5120-01-296-3592	(1168)	12

Class 5210

5210-01-324-2776	(0510)	10
------------------	--------	----

Class 5330

5330-00-239-1873	(0254)	13
5330-00-239-1875	(0742)	13
5330-00-239-1877	(2326)	13
5330-00-720-2621	(0743)	13

Class 5340

5340-00-901-8105	(1938)	48
------------------	--------	----

Class 5345

5345-00-558-5928	(1828)	10
------------------	--------	----

Class 5510

5510-01-045-9198	(2725)	23
------------------	--------	----

Class 6135

6135-00-643-1307	(1233)	24
6135-00-643-1310	(0031)	24
6135-00-835-7210	(0033)	24
6135-00-985-7845	(0030)	24
6135-00-985-7846	(0834)	24

Class 6230

6230-00-500-0523	(0127)	25
6230-01-387-1399	(0713)	25
6230-01-493-7630	(0667)	25

Class 6510

6510-01-045-3506	(1243)	25
------------------	--------	----

Class 6515

6515-00-137-6345	(1027)	32
6515-01-376-7247	(0640)	26

Class 6545

6545-00-656-1092	(0067)	26
6545-00-656-1094	(1604)	26
6545-01-010-7754	(1143)	26

Class 6605

6605-00-171-5121	(0047)	49
6605-00-553-8795	(1814)	49

Class 6645

6645-00-268-4042	(0288)	43
------------------	--------	----

Class 6660

6660-01-024-2638	(1050)	49
------------------	--------	----

Class 6680

6680-00-833-7010	(1155)	49
------------------	--------	----

Class 6685

6685-00-826-1662	(1156)	49
------------------	--------	----

Class 6840

6840-01-003-9589	(0705)	25
------------------	--------	----

Class 6850

6850-01-144-9871	(0700)	23
------------------	--------	----

Class 6930

6930-01-387-8487	(2408)	29
6930-01-387-8533	(2410)	30
6930-01-387-8541	(2409)	30
6930-01-387-8543	(2407)	29
6930-01-499-0605	(2678)	28
6930-01-499-0608	(2679)	29
6930-01-499-0614	(2680)	29
6930-01-499-0618	(2681)	29

Class 7210

7210-00-205-2804.....	(0441)	43
7210-01-029-0370.....	(1038)	44

Class 7240

7240-00-246-1097.....	(0487)	45
7240-00-527-9868.....	(0564)	21
7240-01-044-5523.....	(0218)	21
7240-01-351-2133.....	(1535)	45

Class 7310

7310-00-128-6837.....	(0048)	39
-----------------------	--------	----

Class 7330

7330-00-819-7738.....	(0827)	41
7330-01-449-2319.....	(0943)	41

Class 7340

7340-00-170-8374.....	(0497)	40
-----------------------	--------	----

Class 7350

7350-00-988-6498.....	(0465)	40
7350-01-263-6700.....	(0464)	40

Class 7360

7360-00-139-0480.....	(0135)	41
7360-00-139-1063.....	(0126)	44
7360-00-634-4800.....	(0129)	40
7360-00-660-0526.....	(0935)	41
7360-01-310-5131.....	(0073)	39

Class 7510

7510-00-079-7905.....	(0396)	48
7510-00-079-7906.....	(0395)	48
7510-00-582-4772.....	(0222)	48

Class 7520

7520-00-579-9053.....	(2139)	48
-----------------------	--------	----

Class 7540

7540-00-634-4041.....	(0399)	51
7540-00-634-4045.....	(0400)	51
7540-00-634-4046.....	(0936)	51
7540-01-058-0222.....	(0891)	51
7540-01-119-5628.....	(0872)	51
7540-01-120-0607.....	(1173)	51
7540-01-120-4062.....	(0863)	51
7540-01-121-8825.....	(0862)	51
7540-01-124-7633.....	(0866)	51
7540-01-317-7366.....	(0420)	51
7540-01-317-7367.....	(0422)	51

Class 8105

8105-00-664-3715.....	(0018)	41
8105-01-183-9768.....	(0021)	42

Class 8115

8115-00-139-0652.....	(0500)	47
8115-00-139-0673.....	(0338)	47
8115-00-139-0689.....	(0337)	47
8115-00-139-0690.....	(0305)	47
8115-00-139-0691.....	(0644)	47
8115-00-139-0706.....	(0353)	47
8115-00-139-0722.....	(2006)	47
8115-00-139-0749.....	(0643)	47
8115-00-145-0038.....	(2058)	39
8115-00-183-9481.....	(2030)	47
8115-00-292-0123.....	(2007)	47
8115-01-219-5749.....	(1580)	47
8115-01-290-9543.....	(0513)	47
8115-01-307-2951.....	(0384)	47
8115-01-381-6529.....	(0134)	47
8115-01-504-1463.....	(0645)	47

Class 8125

8125-00-824-9058.....	(1157)	49
-----------------------	--------	----

Class 8135

8135-00-579-6487.....	(0144)	48
8135-00-618-1783.....	(0143)	48

Class 8340

8340-00-102-6370.....	(0070)	43
8340-00-753-6574.....	(0083)	43
8340-01-107-5694.....	(0089)	43
8340-01-185-5512.....	(1521)	43

Class 8415

8415-00-233-5818.....	(0577)	33
8415-00-233-5819.....	(0578)	33
8415-00-259-8718.....	(0579)	33
8415-00-259-8722.....	(0580)	33
8415-00-286-7507.....	(0045)	23
8415-01-028-5575.....	(0078)	23
8415-01-055-2265.....	(0109)	31
8415-01-211-6316.....	(0522)	33
8415-01-284-7500.....	(2079)	33
8415-01-285-3530.....	(2078)	33
8415-01-294-7717.....	(0150)	23
8415-01-394-0208.....	(1293)	32
8415-01-394-0209.....	(1294)	32

NSN Index

8415-01-394-0210	(1295)	32	8465-01-136-4719	(1853)	11
8415-01-394-0215	(1296)	32	8465-01-141-2321	(1855)	35
8415-01-397-3937	(1297)	32	8465-01-169-3996	(1372)	36
8415-01-421-3905	(0569)	33	8465-01-175-7169	(1530)	36
8415-01-421-3907	(0570)	33	8465-01-175-7170	(1529)	36
8415-01-434-0618	(0511)	33	8465-01-193-9781	(1559)	36
8415-01-434-0626	(0512)	33	8465-01-194-7019	(1557)	36
8415-01-464-2282	(2800)	34	8465-01-223-8421	(1566)	42
8415-01-464-3671	(2802)	34	8465-01-274-9910	(0590)	36
8415-01-464-3672	(2801)	34	8465-01-300-1699	(0199)	27
8415-01-464-3673	(2806)	34	8465-01-310-1259	(0912)	38
8415-01-464-3675	(2807)	34	8465-01-310-5130	(0911)	38
8415-01-464-3676	(2803)	34	8465-01-321-1678	(1197)	19
8415-01-464-3677	(2804)	34	8465-01-321-1679	(0597)	19
8415-01-464-3678	(2805)	34	8465-01-369-2147	(0436)	39
8415-01-464-4242	(2700)	34	8465-01-369-2148	(0437)	39
8415-01-464-4244	(2702)	34	8465-01-369-2149	(0438)	39
8415-01-464-4247	(2701)	34	8465-01-369-3557	(0435)	39
8415-01-464-4248	(2703)	34	8465-01-416-1951	(0495)	19
8415-01-464-5621	(2705)	34	8465-01-463-4648	(0294)	30
8415-01-464-5624	(2706)	34	8465-01-463-4649	(0281)	35
8415-01-464-5645	(2707)	34	8465-01-498-3190	(0927)	28
8415-01-464-5742	(2704)	34	8465-01-498-3191	(0928)	28
8415-01-483-6075	(1274)	30	8465-01-503-4476	(0536)	45
8415-01-504-9042	(0722)	31	8465-01-503-4479	(0675)	37
8415-01-504-9044	(0723)	31	8465-01-503-4482	(0677)	37
8415-01-504-9045	(0724)	31	8465-01-503-4484	(0674)	37
8415-01-504-9047	(0921)	31	8465-01-503-4488	(0678)	37
8415-01-504-9048	(0922)	31			
8415-01-504-9050	(0923)	31			
Class 8460			Class 8520		
8460-01-193-9769	(1526)	37	8520-01-411-0628	(0208)	44
Class 8465			Class 8540		
8465-00-081-0798	(1062)	42	8540-00-530-3770	(0142)	44
8465-00-082-3054	(1063)	38	8540-01-169-9010	(0240)	44
8465-00-102-6381	(0037)	38			
8465-00-118-4956	(0054)	38	Class 8970		
8465-00-128-6928	(0141)	45	8970-00-149-1094	(1842)	42
8465-00-205-3493	(0744)	35			
8465-00-293-3369	(0359)	11	Class 9905		
8465-00-521-3057	(1154)	49	9905-01-351-2134	(0454)	50
8465-01-062-5854	(0038)	38	9905-01-351-2135	(0455)	50
8465-01-067-9999	(0257)	11	9905-01-351-2136	(0456)	50
8465-01-119-5562	(0022)	42			
8465-01-121-8699	(0167)	27			
8465-01-136-4718	(1854)	11			

Wildland Fire Equipment Catalog Comment Form

Comments Involve:

- Introduction Section
- General Information Section
- Stock Item Descriptions
- Alphabetical/NFES/NSN Indexes
- DLA Items
- National Fire Cache System
- Other

Comments:

Recommendations/Suggestions:

Optional:

Name: _____

Position/Title: _____

Agency: _____

Address: _____

City/State/Zip: _____

Telephone: (_____) _____ Fax: (_____) _____

E-mail: _____

To submit your feedback, simply detach this form, fold it, seal it, and drop it in the mail.


Detach Here



GENERAL SERVICES ADMINISTRATION
 GSA/FSS/7FL
 Attn: Fire Program Coordinator
 819 Taylor Street
 Fort Worth, TX 76102



NO POSTAGE
 NECESSARY
 IF MAILED
 IN THE
 UNITED STATES



Official Use
 Penalty For Private Use \$300

BUSINESS REPLY MAIL

POSTAGE WILL BE PAID BY US GENERAL SERVICES ADMINISTRATION

GENERAL SERVICES ADMINISTRATION
 GSA/FSS/7FL
 Attn: Fire Program Coordinator
 819 Taylor Street RM 6A24
 Fort Worth, TX 76102-9853



Fold Here



Thank you
 for your patronage!

We welcome your comments and suggestions regarding the contents, composition and format of this catalog. Please remember to be as specific as possible about particular subjects you address. To submit your feedback, simply detach this form, seal it, and drop it in the mail.



Smarter Solutions



U.S. General Services Administration
Centralized Mailing List Service
Warehouse 9, South End
501 W. Felix Street
Fort Worth, TX 76115

Official Business
Penalty for Private Use \$300

www.gsa.gov
March 2004
5-4-00212
0FSS-0007

PRESORTED
BOUND PRINTED MATTER
POSTAGE & FEES PAID
GSA PERMIT NO. G-30